



Docket No.: SON-2058/YAM
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Yasumasa Mizushima et al.

Confirmation No.: 9700

Application No.: 09/980,252

Art Unit: 3627

Filed: February 21, 2002

Examiner: Ronald Laneau

For: CONCENTRATED PHYSICAL
DISTRIBUTION SYSTEM
FOR CARGO AND METHOD THEREFOR

CERTIFIED TRANSLATION OF PRIORITY DOCUMENT

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

INTRODUCTORY COMMENTS

The Applicant, through its representatives and attorneys, hereby brings to the attention of the Examiner an English language translation of Japanese Patent Application No. 2000-098555.

The above-identified application is entitled to benefit of the filing date of Japanese Patent Application No. 2000-098555. This Japanese Patent Application has a priority date of March 31, 2000.

Please take this English language translation into account in the examination of this application and make its consideration of record.

If the Examiner has any comments or suggestions that could place this application in even better form, the Examiner is requested to telephone Brian K. Dutton, Reg. No. 47,255, at 202-955-8753 or the undersigned attorney at the below-listed number.

If any fee is required or any overpayment made, the Commissioner is hereby authorized to charge the fee or credit the overpayment to Deposit Account # 18-0013.

Dated: November 12, 2004

Respectfully submitted,

By 

Ronald P. Kananen

Registration No.: 24,104

RADER, FISHMAN & GRAUER PLLC


1233 20th Street, N.W.

Suite 501

Washington, DC 20036

(202) 955-3750

Attorney for Applicant




CERTIFICATE

I, Kenichi AIHARA, a member of Yamaguchi International Patent Office of Hirayama Building, 15-2, Uchikanda 1- chome, Chiyoda-ku, Tokyo, 101-0047, Japan, hereby certify that to the best of my knowledge and belief the following is a true translation into English of the accompanying
Japanese Patent Application No. 2000-98555
as well as of the certificate attached thereto.

Date this 5th day of November 2004

Kenichi AIHARA



| | | |
|----|---------------------------------------|---|
| | [Document Name] | Application for Patent |
| | [Reference No.] | 0000096707 |
| | [Application Date] | March 31, 2000 |
| | [Destination] | Commissioner, Patent Office |
| 5 | [International Patent Classification] | F02D 43/00 B63B 25/00 H04L 12/46 H04L 12/28 |
| | [Inventor] | |
| 10 | [Address] | c/o Sony Corporation 7-35, Kitashinagawa 6-chome Shinagawa-ku, Tokyo, Japan |
| | [Name] | Yasumasa Mizushima |
| | [Inventor] | |
| 15 | [Address] | c/o Sony Corporation 7-35, Kitashinagawa 6-chome Shinagawa-ku, Tokyo, Japan |
| | [Name] | Masami Kinugasa |
| | [Inventor] | |
| 20 | [Address] | c/o Sony Corporation 7-35, Kitashinagawa 6-chome Shinagawa-ku, Tokyo, Japan |
| | [Name] | Keiichi Yumita |
| | [Inventor] | |
| 25 | [Address] | c/o Sony Corporation 7-35, Kitashinagawa 6-chome Shinagawa-ku, Tokyo, Japan |
| | [Name] | Takashi Nakamura |
| | [Inventor] | |
| 30 | [Address] | c/o Sony Corporation 7-35, Kitashinagawa 6-chome Shinagawa-ku, Tokyo, Japan |

[Name] Zenta Watanabe
[Applicant for Patent]
[Identification No.] 000002185
[Name] Sony Corporation
5 [Representative] Nobuyuki Idei
[Agent]
[Identification No.] 100090376
[Patent Attorney]
[Name] Kunio Yamaguchi
10 [Telephone] 03-3291-6251
[Agent]
[Identification No.] 100095496
[Patent Attorney]
[Name] Eiji Sasaki
15 [Telephone] 03-3291-6251
[Designation of Charge]
[Ledger No. for Prepayment] 007548
[Amount of Payment] 21,000 yen
[List of Filed Document]
20 [Object Name] Specification 1
[Object Name] Drawing 1
[Object Name] Abstract 1
[Authorization Number] 9709004
[Necessity of Confirmation] Necessary
25

[Document Name] Specification

[Title of the Invention] Method for receiving order and issuing order of cargo, a concentrated physical distribution method, a concentrated physical distribution apparatus, a cargo insurance information drafting method, a cargo insurance information drafting apparatus, a cargo insurance information drafting system, an automatic preparing method for a draft of a bill of lading and an automatic issuing system for a bill of lading

[Scope of the Patent Claims]

[Claim 1] In an concentrated physical distribution management method to be used when consigned cargo is delivered to a destination, wherein said method is processed to be electronic information capable of being mutually communicated by means of communication network lines, said concentrated physical distribution management method characterizing by the steps comprising:

 a shipping instruction processing step of instructing delivery of the consigned cargo to the destination collectively including a physical distribution trader by accessing a specific site;

 a physical distribution expense calculation processing step of calculating physical distribution expenses necessary for delivery of the cargo to the destination; and

 a cargo tracking processing step of indicating a delivery status of the cargo, whereby

 the cargo can be managed concentratedly.

[Claim 2] The concentrated physical distribution management method according to claim 1, wherein characterized by:

 in said shipping instruction processing step, a shipping instruction is performed on a basis of a list of a plurality of physical distribution traders nominated previously, outgoing vessel schedule information of a shipping company, and physical distribution information necessary and enough for input cargo delivery such as physical distribution basic six information.

[Claim 3] The method according to claim 1, wherein characterized by:

 in said physical distribution expense calculation processing step, physical distribution expenses to the destination are calculated by reference to physical

distribution expenses at every transportation route in cargo details of shipping instruction information.

[Claim 4] The method according to claim 1, wherein characterized by:

5 a current position of the cargo can be recognized in said cargo tracking processing step.

[Claim 5] In a concentrated physical distribution management apparatus to be used when consigned cargo is delivered to a destination, said concentrated physical distribution management apparatus being characterized by comprising:

10 shipping instruction processing means for instructing delivery of the consigned cargo to the destination collectively including a physical distribution trader;

physical distribution expense calculation processing means for calculating physical distribution expenses necessary for delivery of the cargo to the destination; and

15 cargo tracking processing means for indicating a delivery status of the cargo, wherein:

said shipping instruction processing means, said physical distribution expense calculation processing means, and said cargo tracking processing means are configured so as to be accessed through communication network lines, and corresponding processing can be executed by access to a specific site.

20 [Claim 6] In a concentrated physical distribution management system to be used when consigned cargo is delivered to a destination, wherein said system is characterized by being configured to be a site capable of communicating mutually by means of communication network lines, said site being provided with a database server, said database server including inner processing sections comprising at least:

25 a shipping instruction processing section for instructing delivery of the consigned cargo to the destination collectively including a physical distribution trader;

a physical distribution expense calculation processing section for calculating physical distribution expenses necessary for delivery of the cargo to the destination; and

30 a cargo tracking processing section for indicating a delivery status of the cargo, whereby

all of shipping instructions concerning cargo to the physical distribution trader can be transmitted only by access to said site.

[Claim 7] The concentrated physical distribution management system according to claim 6, wherein characterized by:

5 said shipping instruction processing section is provided with a database storing a list of a plurality of physical distribution traders nominated previously, outgoing vessel schedule information of a shipping company, and the like, whereby shipping instruction processing to said physical distribution trader can collectively be done on a basis of input physical distribution basic six information.

10 [Claim 8] The concentrated physical distribution management system according to claim 6, wherein characterized by:

said physical distribution expense calculation processing section is provided with a master file necessary for calculation of physical distribution expenses to the destination by reference to physical distribution expenses at every transportation route in cargo details of shipping instruction information, and a database for management of the master file.

[Claim 9] The concentrated physical distribution management system according to claim 6, wherein characterized by:

20 a current position of cargo can be recognized by search for information in said cargo tracking processing section.

[Claim 10] A reception method of an order of cargo characterized by comprising the steps of:

25 receiving shipping instruction information such as a kind, a quantity and a destination of the cargo in shipping instruction consignment of the cargo input through communication network lines or input on a portal site side;

confirming stock information of the cargo among the received shipping instruction information;

30 calculating physical distribution expenses in a deduced transportation route of the cargo after said step of confirming the stock information of the cargo; and delivering the calculated physical distribution expenses to a consignor side.

[Claim 11] An ordering method of cargo characterized by comprising the steps of: taking out shipping instruction information stored in a shipping instruction database;

taking out a transport schedule stored in a transport schedule database;

determining a cargo transportation route in conformity with said shipping instruction on a basis of said shipping instruction information and said transport schedule;

5 selecting an preferable physical distribution trader among physical distribution traders covering said determined cargo transportation route in a physical distribution trader list resided in a nomination database;

delivering determined shipping instruction information to said selected physical distribution trader by means of communication network lines or the like.

[Claim 12] A cargo insurance information making method characterized by
10 comprising the steps of:

calculating insurance to cargo on a basis of at least shipping instruction information to be utilized as detailed cargo information, an insurance condition being a calculation standard of the insurance, and the like;

selecting an insurance trader among nominated insurance traders;

15 calculating an insurance premium by means of an insurance premium rate as a standard on a basis of the shipping instruction information, the insurance, a delivery section, and the like; and

20 making cargo insurance information being electronic data on a basis of respective information of the shipping instruction information, the insurance, and the insurance premium.

[Claim 13] The cargo insurance information making method according to claim 12, wherein characterized by:

said insurance information is insurance offering information or insurance bill information.

25 [Claim 14] The cargo insurance information making method according to claim 12, wherein characterized by:

said shipping instruction information includes at least physical distribution basic six information.

[Claim 15] The cargo insurance information making method according to claim 12,
30 wherein characterized by:

any of said shipping instruction information, insurance condition information, said insurance trader, said insurance premium rate, and the like are extracted from information stored in a database.

5 [Claim 16] A cargo insurance information making apparatus characterized by comprising:

storing means for storing shipping instruction information to be used as detailed cargo information;

storing means for storing information such as insurance conditions as a calculation standard of insurance;

10 storing means for storing nominated insurance traders;

storing means for insurance premium rate information; and

calculation means for calculating the insurance and an insurance premium on a basis of each of the information; whereby

15 insurance information being electronic data is made on a basis of the calculated insurance, the calculated insurance premium rate and the shipping instruction information used for calculation of the insurance and the insurance premium rate.

[Claim 17] The cargo insurance information making apparatus according to claim 16, wherein characterized by:

20 said insurance information is insurance offering information or insurance bill information.

[Claim 18] The cargo insurance information making apparatus according to claim 16, wherein characterized by:

said shipping instruction information includes at least physical distribution basic six information.

25 [Claim 19] A cargo insurance information making system in which a site to transmit a cargo shipping instruction and a site on an insurance trader side are mutually connected with a communication network line and information circulates as electronic data, the site on the shipping instruction side being equipped with cargo insurance information making means, said cargo insurance information making means
30 characterized by comprising:

storing means for storing shipping instruction information to be utilized as detailed cargo information;

storing means for storing information such as an insurance condition being a calculation standard of insurance;

storing means for storing nominated insurance traders;

storing means for storing information of an insurance premium rate; and

5 calculating means for calculating the insurance and an insurance premium on a basis of each of the information;

said cargo insurance information making means making insurance information being electronic data on a basis of the calculated insurance, the calculated insurance premium rate and the shipping instruction information,

10 the site on the insurance trader side being equipped with bill issuing means for issuing an insurance bill when the bill issuing means acknowledges the insurance information, the insurance information being insurance offering information, said bill issuing means receiving the insurance information through the communication network line.

15 [Claim 20] The cargo insurance information making system according to claim 19, wherein characterized by:

said shipping insurance information includes at least physical distribution basic six information.

20 [Claim 21] An automatic drafting method of a draft of a bill of lading, said method characterized by comprising the steps of:

performing pre-booking of a specific outgoing vessel schedule selected among previously obtained outgoing vessel schedule information at a time of receiving a consigning order of cargo delivery, and using information concerning a designated outgoing vessel schedule as draft information for the bill of lading;

25 issuing a booking instruction of the outgoing vessel schedule information for confirmation returned with an attached bill reservation number of the bill of lading;

making new draft information for the bill of lading by adding shipping instruction information to the outgoing vessel schedule information for confirmation in response to a shipping requirement; and

30 transmitting the new draft information for the bill of lading as final draft information for the bill of lading, whereby

the draft information of the bill of lading is automatically made.

[Claim 22] The automatic drafting method of a draft of a bill of lading according to claim 21, wherein characterized by:

said final draft information for the bill of lading becomes an effective bill of lading by addition of a bill number and an issuance date of the bill.

5 [Claim 23] The automatic drafting method of a draft of a bill of lading according to claim 21, wherein characterized by:

said outgoing vessel schedule information includes at least physical distribution basic six information.

[Claim 24] An automatic making apparatus of draft information for a bill of lading,
10 said apparatus characterized by comprising:

storing means for storing outgoing vessel schedule information;

storing means for storing cargo shipping instruction information;

booking means for performing booking of a specific outgoing vessel schedule on a basis of the outgoing vessel schedule information and the shipping instruction
15 information, both being read out from the two storing means;

making means for making draft information of a bill of lading to be issued to the cargo on a basis of the outgoing vessel schedule information and the booking information; and

delivery means for delivering the booking information and the draft information,
20 whereby

the draft information made by said making means is delivered to a shipping company side, and the shipping company side writes a bill number and an issuance date of the bill for making the bill of lading of the cargo.

[Claim 25] The automatic making apparatus of a draft of a bill of lading according
25 to claim 24, wherein characterized by:

said delivery means delivers the booking information and the draft information through a communication network line.

[Claim 26] An automatic issuing system of a bill of lading, in which a site to transmit a cargo shipping instruction and a site on a physical distribution trader side are
30 mutually connected with a communication network line and information circulates as electronic data, the site on the shipping instruction side characterized by comprising:

storing means for storing outgoing vessel schedule information;

storing means for storing shipping instruction information; and

draft information storing means for storing information related to an outgoing vessel schedule at a time of performing booking of a specific outgoing vessel schedule selected in a previously obtained outgoing vessel schedule table when a consigning
 5 order of cargo delivery is received;

the site on the physical distribution trader side being comprising:

delivery means for delivering a latest outgoing vessel schedule information;

information of a bill of lading confirming means for confirming delivery of booking information on the physical distribution trader side to add a bill booking number; and

10 bill of lading issuing means for attaching a bill number and a bill issuance data to received draft information of a bill of lading to issue the bill of lading to the cargo, whereby

the draft information for the bill of lading are added in sequence in electronic data exchanging processes between both of the sites to complete the bill of lading.

15 [Claim 27] The automatic issuing system of a bill of lading according to claim 26, wherein characterized by:

said outgoing vessel schedule information includes at least physical distribution basic six information.

[Detailed Description of the Invention]

20 [0001]

[Technical Field to which the Invention pertains]

The present invention relates to a concentrated physical distribution method, a concentrated physical distribution system, a cargo insurance information drafting method, a cargo insurance information drafting apparatus, a cargo insurance
 25 information drafting system, an automatic preparing method for a draft of a bill of lading and an automatic issuing system for a bill of lading, in which those can exhibit their functions by using communication network lines or dedicated network lines.

[0002]

In particular, the present invention relates to those that aim to lower the costs of
 30 physical distribution management and the like greatly by making it possible that all of the shipping instructions about cargo to a physical distribution trader is transmitted by the access only to a specific site, and that the draft information of a bill of lading is

made on the specific site side by the use of the information to be used in a shipping instruction process, and further that the insurance information of the cargo is also made by reference to the draft information of the bill of lading.

[0003]

5 [Prior Art]

When electronic or other appliances and the like manufactured by manufacturers are shipped to abroad or the like, a current physical distribution system for such shipment carries out the following procedures. For the avoidance of the complexity of description, a case where cargo (goods such as electric appliances) is exported from the inside of a country to foreign countries by ships will be described as one example.

[0004]

(1) Shipping plan

In the case where manufactured appliances are shipped to foreign countries or the like, at first, a shipping plan including shipping basic data (6 basic information) composed of who, what, how many, when, from where, and to where is elaborated.

The shipping plan is input through a terminal such as a personal computer by a person in charge of the manufacturer.

[0005]

20 (2) Booking

When the shipping plan is determined, vessel schedules that function as transportation schedules are obtained from a plurality of shipping companies. In the vessel schedules, detailed schedule data such as the name of a ship, the tonnage thereof, a port of departure, a touching port, a departure date, and the like are recorded and a desirable shipping company is determined among the plural shipping companies by the decision of loading contents and the like based on the vessel schedules. After the determination, a pre-booking of a vessel of a shipping company is performed. After that, the booking of the vessel of the shipping company is formally done after final confirmation.

30 Many shipping companies execute various procedures and business works (entrust of cargo (business of packing for exportation), the business of customs clearance, the

business of carrying cargo into or from a bonded warehouse and the business of loading) which are necessary for the exportation on behalf of the customer.

[0006]

(3) Selection of insurance company (property insurance company)

5 Because the cargo to be shipped is transported by marine transportation, insurance for the cargo is taken out in almost all cases. A consignor calculates the insurance of the cargo on the basis of the quantity of the cargo, the price of shipping, and the like, and the consignor selects the preferable insurance company from a plurality of insurance companies that have proposed a premium rate to the insurance. An insurance
10 contract is made through the insurance company or an insurance agency. When insurance is applied, an insurance policy or a letter of the approval of the insurance is issued by the insurance company on the basis of the contents of the insurance offering letter.

[0007]

15 (4) Selection of a domestic transport trader

The preferable transport trader is selected among a plurality of registered domestic transport traders (such as a truck transport trader) for the conveyance of the cargo from the warehouse, where the cargo is kept in (such as a warehouse in a factory of a manufacturer or an appointed warehouse) to a designated place.

20 [0008]

(5) Loading and issuance of a B/L

When the cargo appointed by the manufacturer is loaded onto a ship, a B/L (Bill of Lading) is issued by the shipping company after the confirmation of the loading. In this case, an AWB (Air Waybill) is issued in case of air cargo.

25 [0009]

Through the aforesaid various procedures, the cargo is transported to a trader of a foreign country or a customer of a foreign country from the manufacturer.

[0010]

[Problem to be solved by the Invention]

30 As described above, in the conventional physical distribution system, various information necessary for the ordering of goods or service are transmitted between a customer and a trader or between a customer and a plurality of traders. As mentioned

above, a shipping company is determined through an individual negotiation as a work after entering the shipping plan using the input terminal. Because, even if a plurality of shipping companies are temporally registered, they are finally limited to one shipping company through individual negotiations, and if there are a plurality of shipping companies, the negotiation is individually set. With regard to insurance companies, the situation is the same as the case of the shipping company. Then, the preferable insurance company or insurance agency is determined through individual negotiations.

[0011]

Because of such individual negotiation, it takes a long time to select a preferable trader, and further it also requires cost to go to the counter of the trader. Because the exchanges of letters after the selection of the trader must be performed in conformity with the format determined by the selected trader, the works are very complicated, and confirmation works for the order are also necessary in order to avoid mistakes. In particular, in the case where such contracts are done with different plural traders in accordance with the cargo, different formats are required to each trader, and consequently, such works are obliged to spend many times.

[0012]

Moreover, in the aforesaid case where an insurance company is determined, although the insurance is an item that is determined by a person in charge belonging to a manufacturer, the orderer is obliged to select an insurance company that offers the maximum insurance at the minimum insurance premium rate individually after the determination of the insurance. Consequently, only a person in charge in very restricted posts such as a veteran person in charge can manage the determination of an insurance company. Hence, it becomes a factor making necessarily long time and large costs.

[0013]

Moreover, a bill of lading is issued after the loading of the cargo, and the items to be filled in the bill of lading includes various subjects all of which are filled only by the transport trader. In addition, in many cases, the items are input by a specialized operator manually. Consequently, the issuance of a bill of lading is a work that requires much time and labor time.

[0014]

As mentioned above, because quick decision or processing is difficult in any cases, those methods are factors that finally increase the costs of the physical distribution. Accordingly, if such information is previously gathered from a plurality of shippers, and if the preferable trader is selected among traders listed in advance, and then if the information is delivered to plural different traders, or if a shipper and a trader exchange information between them in the process of their business negotiations to cooperate about necessary information, and further if the contents of the B/L items are stored by the filling of them one by one at every information exchange to finish it as the final information of the bill of lading (B/L information), then it becomes possible to determine a trader quickly and to process the procedures quickly, and further it finally contributes a great reduction of the labor costs of the physical distribution.

[0015]

Accordingly, the present invention resolves the conventional problems as described above, and proposes a total physical distribution system capable of simplifying a lot of works of shippers and physical distribution traders by constructing a total concentrated physical distribution system by the use of communication network lines such as, especially, the Internet.

[0016]

[Means for solving the Problem]

For resolving the aforesaid problems, according to Claim 1 of the present invention, there is provided a concentrated physical distribution management method to be used when consigned cargo is delivered to a destination, wherein the method is processed to be electronic information capable of being mutually communicated by means of communication network lines, the method is characterized by comprising: a shipping instruction processing step of instructing delivery of the consigned cargo to the destination collectively including a physical distribution trader by accessing a specific site; a physical distribution expense calculation processing step of calculating physical distribution expenses necessary for delivery of the cargo to the destination; and a cargo tracking processing step of indicating a delivery status of the cargo, whereby the cargo can be concentratedly managed.

[0017]

According to Claim 5 of the present invention, there is provided a concentrated physical distribution management apparatus to be used when a consigned cargo is delivered to a destination, the apparatus is characterized by comprising: shipping instruction processing means for instructing delivery of the consigned cargo to the destination collectively including a physical distribution trader; physical distribution
5 expense calculation processing means for calculating physical distribution expenses necessary for delivery of the cargo to the destination; and cargo tracking processing means for indicating a delivery status of the cargo, wherein: the shipping instruction processing means, the physical distribution expense calculation processing means and
10 the cargo tracking processing means are configured so as to be accessed through communication network lines, and corresponding processing can be executed by accessing to a specific site.

[0018]

According to Claim 6 of the present invention, there is provided a concentrated
15 physical distribution management system to be used when a consigned cargo is delivered to a destination, wherein the management system is characterized by being configured to be a site capable of communicating mutually by means of communication network lines, the site is provided with a database server, the database server including inner processing sections comprises at least: a shipping instruction
20 processing section for instructing delivery of the consigned cargo to the destination collectively including a physical distribution trader; a physical distribution expense calculation processing section for calculating physical distribution expenses necessary for delivery of the cargo to the destination; and a cargo tracking processing section for
indicating a delivery status of the cargo, whereby all of shipping instructions
25 concerning cargo to the physical distribution trader can be transmitted only by accessing to the site.

[0019]

According to Claim 9 of the present invention, there is provided a cargo insurance information making method which is characterized by comprising the steps
30 of: calculating insurance to cargo on a basis of at least shipping instruction information to be utilized as detailed cargo information, an insurance condition being a calculation standard of the insurance, and the like; selecting an insurance trader among nominated

insurance traders; calculating an insurance premium by means of an insurance premium rate as a standard on a basis of the shipping instruction information, the insurance, a delivery section, and the like; and making cargo insurance information being electronic data on a basis of respective information of the shipping instruction information, the insurance, and the insurance premium.

[0020]

According to Claim 10 of the present invention, there is provided a reception method of an order of a cargo, the reception method is characterized by comprising the steps of: receiving shipping instruction information such as a kind, a quantity and a destination of the cargo in shipping instruction consignment of the cargo input through communication network lines or input on a portal site side; confirming stock information of the cargo among the received shipping instruction information; calculating physical distribution expenses in a deduced transportation route of the cargo after the step of confirming the stock information of the cargo; and delivering the calculated physical distribution expenses to a consignor side.

[0021]

According to Claim 11 of the present invention, there is provided an ordering method of cargo, wherein the ordering method is characterized by comprising the steps of: taking out shipping instruction information stored in a shipping instruction database; taking out a transport schedule stored in a transport schedule database; determining a cargo transportation route in conformity with the shipping instruction on a basis of the shipping instruction information and the transport schedule; selecting an preferable physical distribution trader among physical distribution traders covering the determined cargo transportation route in a physical distribution trader list-registered in a nomination database; delivering determined shipping instruction information to the selected physical distribution trader by means of communication network lines or the like.

[0022]

According to Claim 13 of the present invention, there is provided a cargo insurance information making apparatus which is characterized by comprising: storing means for storing shipping instruction information to be used as detailed cargo information; storing means for storing information such as insurance conditions as a calculation

standard of insurance; storing means for storing nominated insurance traders; storing means for insurance premium rate information; and calculation means for calculating the insurance and an insurance premium on a basis of each of the information; whereby insurance information being electronic data is made on a basis of the calculated insurance, the calculated insurance premium rate and the shipping instruction information used for calculation of the insurance and the insurance premium rate.

[0023]

According to Claim 16 of the present invention, there is provided a cargo insurance information making method which is characterized by comprising the steps of: calculating insurance to cargo on a basis of at least shipping instruction information to be utilized as detailed cargo information, an insurance condition being a calculation standard of the insurance, and the like; selecting an insurance trader among nominated insurance traders; calculating an insurance premium by means of an insurance premium rate as a standard on a basis of the shipping instruction information, the insurance, a delivery section, and the like; and making cargo insurance information to be electronic data on a basis of respective information of the shipping instruction information, the insurance, and the insurance premium.

[0024]

According to Claim 18 of the present invention, there is provided an automatic drafting method of a draft of a bill of lading, wherein the method is characterized by comprising the steps of: performing pre-booking of a specific outgoing vessel schedule selected among previously obtained outgoing vessel schedule information at a time of receiving a consigning order of cargo delivery, and using information concerning a designated outgoing vessel schedule as draft information for the bill of lading; issuing a booking instruction of the outgoing vessel schedule information for confirmation returned with an attached bill reservation number of the bill of lading; making new draft information for the bill of lading by adding shipping instruction information to the outgoing vessel schedule information for confirmation in response to a shipping requirement; and transmitting the new draft information for the bill of lading as final draft information for the bill of lading, whereby the draft information of the bill of lading is automatically made.

[0025]

According to Claim 21 of the present invention, there is provided an automatic making apparatus of draft information for a bill of lading, the apparatus is characterized by comprising: storing means for storing outgoing vessel schedule information; storing means for storing cargo shipping instruction information; booking
5 means for performing booking of a specific outgoing vessel schedule on a basis of the outgoing vessel schedule information and the shipping instruction information, both being read out from the two storing means; making means for making draft information of a bill of lading to be issued to the cargo on a basis of the outgoing vessel schedule information and the booking information; and delivery means for
10 delivering the booking information and the draft information, whereby the draft information made by the making means is delivered to a shipping company side, and the shipping company side writes a bill number and an issuance date of the bill for making the bill of lading of the cargo.

[0026]

15 According to Claim 24 of the present invention, there is provided an automatic issuing system of a bill of lading characterized in which a site to transmit a cargo shipping instruction and a site on a physical distribution trader side are mutually connected with a communication network line and information circulates as electronic data, the site on the shipping instruction side comprising: storing means for storing
20 outgoing vessel schedule information; storing means for storing shipping instruction information; and draft information storing means for storing information related to an outgoing vessel schedule at a time of performing booking of a specific outgoing vessel schedule selected in a previously obtained outgoing vessel schedule table when a consigning order of cargo delivery is received; the site on the physical distribution
25 trader side being comprising: delivery means for delivering a latest outgoing vessel schedule information; information of a bill of lading confirming means for confirming delivery of booking information on the physical distribution trader side to add a bill booking number; and bill of lading issuing means for attaching a bill number and a bill issuance data to received draft information of a bill of lading to issue the bill of lading
30 to the cargo, whereby the draft information for the bill of lading are added in sequence in electronic data exchanging processes between both of the sites to complete the bill of lading.

[0027]

In the present invention, a site connected with a communication network line is accessed by a cargo consignor or a physical distribution manager consigned by the consignor. When the site is accessed, a concentrated physical distribution management
5 system starts, and the system selects the preferable transportation route, a physical distribution trader, and the like among those stored as internal information on the basis of input physical distribution basic six information (which will be described later). By the processing of the selection, the contents (shipping instruction information) of "which cargo", "who", "where", "how many", "from where" and "to where" are
10 determined.

[0028]

Moreover, in the processes of making the shipping instruction information, outgoing vessel schedule information from a physical distribution trader can be obtained besides the shipping instruction information. Consequently, almost all of the items necessary
15 for a bill of lading can be obtained by the arrangement of information to be used at the time of performing booking processing such as bottom booking. Accordingly, by the utilization of the shipping instruction information and the outgoing vessel schedule information also as the information of the bill of lading at every time of the collection of those pieces of information, a draft of the bill of lading is completed when the
20 shipping instruction information is collected.

[0029]

Only the addition of a bill number and a bill issuance data of the bill of lading to the contents of the draft by a shipping company makes the draft a formal bill of lading having a value as property. Consequently, the procedures of the issuance of a bill of
25 lading can greatly be simplified.

[0030]

Because insurance and the insurance premium corresponding to the insurance can be calculated by means of shipping instruction information and the information of a draft of a bill of lading when insurance traders and insurance premium rates are stored in the
30 inside of the system, the issuance of an insurance bill becomes possible by the making of those contents in conformity of the format of an application blank and the sending of the information (as electronic information or as information written on a paper) to an

insurance company. It is needless to say that, when a concentrated physical distribution manager is a licensee who can conduct insurance factorage, the manager can directly issue the insurance bill on the basis of the aforesaid information. Because the insurance information making processing can also be processed by the use of the shipping instruction information and the like, the procedures of the issuance of an insurance bill can greatly be simplified.

[0031]

The reception of any of orders of cargo from consignors can be performed by the use of shipping instruction information and physical distribution expense information provided on a portal site side. An order of a cargo delivery to a physical distribution trader can also be determined simply by the use of the information such as the shipping instruction information of the cargo, a transport schedule, and a physical distribution trader list.

[0032]

[Means for Carrying out the Invention]

Further, one embodiment for carrying out a total physical distribution system relating to the present invention is explained in detail with reference to attached drawings.

Fig. 1 is a conceptual view showing an electronically configured total physical distribution management system 10 and a concentrated physical distribution management system 20, which is a main part of the present invention, is connected with an Internet 30 in this example, as a communication network lines, and further a local site 50 can be connected with the concentrated physical distribution management system 20 through an internal network such as an intranet 40.

[0033]

The local site 50 is a cargo client for the total physical distribution management system 10. For example, in the case where the client is an electric manufacturer manufacturing and selling electronic appliances, each of a group of factories locating the inside or the outside of a country, a base of physical distribution and the like correspond to each site of the local site 50. To each of them, the concentrated physical distribution management system 20 has a role of the generalization base. It is apparent

that the local site 50 can be configured as a site opened to public, not a site only in the group.

[0034]

A plurality of sites are further located on the Internet 30 for performing business
5 with the concentrated physical distribution management system 20. Under the
circumstances of the example, a site of a physical distribution trader 60 (a general
trading company, a transportation company, a shipping company and so forth) as a first
one, a site of an insurance company 62 (including an agency), a communication
terminal unit of an end user 64 and the like are connectable.

10 [0035]

The concentrated physical distribution management system 20 is constructed to have
a basic system as a website capable of realizing communication with the Internet 30.
Accordingly, a VPN (Virtual Private Network) router 21 is used, and a fire wall server
28 is connected with the Internet 30 through the VPN router 21 and a WWW server 22,
15 a message delivery server 24 for the outside, a DNS (Domain Name System) server 26,
and the like are connected with the fire wall server 28 through a first hub 31, and also a
terminal unit 27 using a personal computer or the like, and a monitor 29 are connected
with the fire wall server 28.

[0036]

20 A second hub 32 is further connected with the fire wall server 28.

A DNS server 34 and a message delivery server 33 for internal use are connected
with the second hub 32. And also a terminal unit 35 and its monitor 36 are connected
with the second hub 32 as constituents. Moreover, an application/database server 70,
which will be described later, is connected with the second hub 32. And further, the
25 local site 50 and a mail server 41 are connected with the fire wall server 28 through
communication network lines such as the intranet 40 to constitute the electronic total
physical distribution management system 10.

[0037]

The terminal units 27, 35 are ones for entering data from portal site sides or from the
30 outside through the Internet 30 and the intranet 40, and for searching for information.
The searched results and so on are displayed on the monitors 29, 36.

[0038]

As the aforesaid fire wall server 28, one configured as an application gateway can be used, and a firewall software is installed into the fire wall server 28.

[0039]

5 A proxy server function is incorporated into the fire wall serve 28 as well as its primary fire wall function for preventing illegal accessing as the function of the fire wall server 28. Moreover, a LDAP (Lightweight Directory Access Protocol) for the use of a protocol to access a directory management database is also installed on the fire wall server 28. The well-known security function named a SSL (Secure Sockets Layer) is added to the LDAP.

10 [0040]

The aforesaid application/database server (hereinafter, simply referred to as "database server") 70, which is a core of the concentrated physical distribution management system 20, is located in the inside network connected with the fire wall server 28.

15 [0041]

The database server 70 is provided for executing processes necessary for the concentrated physical distribution management system 20 (such as a shipping instruction process of cargo). However, the database server 70 also works as an application server. The database server 70 also performs the property insurance processing of cargo transport, and performs processing such as the calculation of physical distribution expenses necessary for the delivery of cargo and the like, and the delivery of such information through the Internet 30.

[0042]

25 The TCP/IP (Transmission-Control Protocol/Internet-Protocol) can be utilized as a connection form for the access of the WWW server 22 and the like to the aforesaid database server 70, and a display screen to the accessing side is made on the results of the database server 70, and further the display screen data is transmitted in the form of the HTTP (Hyper Text Transfer Protocol).

[0043]

30 Now, there are various delivery forms for the delivery of cargo such as a delivery form only by land, a delivery form including by sea by means of a cargo vessel or the like, and a delivery form utilizing an airplane dedicated for cargo. However, in the

following embodiment, for the simplification of description, the delivery including the export of cargo as its part through land and sea will be mainly described. Accordingly, the aforesaid database server 70 performs the following processing.

[0044]

- 5 (1) It processes the drafting and entering a delivery plan, a cargo-seeking or car-seeking plan, and so on to shipping instruction information from the side of a cargo consignor (shipping instruction information processing function section).

A physical distribution trader (such as a delivery trader, an exportation trader, a shipping company) is designated on the basis of the shipping instruction information,
10 and also the draft of a bill of lading (B/L) is prepared by the use of the information to be exchanged with a shipping company on the basis of this shipping instruction information, and further the draft of an insurance policy (an insurance application) and so on are prepared.

[0045]

- 15 (2) It does the estimation, the billing and the management processing of the physical distribution expenses based on the shipping instruction information.

It estimates the physical distribution expenses and delivers the estimation to the cargo consignor side. Moreover, it performs the billing of the physical distribution expenses to the cargo consignor. And further it performs the electronic settlement
20 processing for the payment of the physical distribution expenses to the physical distribution trader. And thus it manages the billing and the payment of the physical distribution expenses.

[0046]

- 25 (3) It prepares a cargo tracking information for recognizing the present status of the cargo by means of the information from the physical distribution trader.

When a shipping instruction is issued, the consigned cargo is delivered via each physical distribution trader. It manages the tracking information such as "where the cargo is transported now", i.e. the date and the time of the transportation and the delivery of the cargo in a country, and the date and the time of the transportation and
30 the delivery of the cargo in foreign countries.

[0047]

- (4) Cargo management processing

It manages the actual object (cargo) until the cargo reaches a customer as an end-user finally. For the sake of the management, a stock information and a cargo tracking information are utilized. Thereby, it can be recognized about shipping base information such as who (owner or client), what (products and parts), how many
5 (quantity) and where (place).

[0048]

A significant electronic total physical distribution management system having advantages that cannot be obtained by the conventional physical distribution system such that the work of receiving an order of cargo and the work of ordering cargo are
10 made to be simplified and draft information composed of a plurality of items being the origin of a bill of lading can simply be made and the like.

[0049]

For executing the aforesaid processing, the database server 70 is provided with a large-sized computer 71 for the management of the database as shown in Fig. 2, and
15 further a plurality of portals (web portals) are prepared for realizing the aforesaid processing of (1) through (4) in the present embodiment, and then a first database section (data storing means) 80 corresponding to the web portals is connected with an internal bus (connection cable for a communication) 72 through a hub.

[0050]

Besides, a second database section (data storing means) 90 for storing histories of the shipping of cargo, the payments of physical distribution expenses, and the like, and a master file 100 for storing information necessary for the calculations of necessary costs such as the physical distribution expenses, insurance premiums, and the like are
20 connected with the internal bus 72.

25 [0051]

The first database section 80 is provided with at least the following five web portals as shown in Fig. 3.

(a) Vessel schedule portal 75 for being accessed when the departing vessel schedule is input or output;

30 (b) Shipping instruction portal 76 for being accessed when the shipping instruction information is input or output;

(c) Order tracking portal 77 for being accessed when the cargo tracking information is input or output;

(d) Inventory location portal 78 for being accessed when the cargo location information is input or output; and

5 (e) Global search portal 79 for being accessed when general information such as physical distribution expenses is input or output.

[0052]

For these five web portals 75 through 79, the first database section 80 is provided with at least the following databases when it is required. However, the databases and
10 the aforesaid web portals do not accord with each other completely.

(a) Database 81 for storing vessel schedules,

(b) Database 82 for storing the information of shipping instructions and a bills of lading,

(c) Database 83 for Storing the cargo tracking information,

15 (d) Database 84 for registration of the physical distribution traders (Nomination) to be used when the Physical distribution trader is selected, and

(e) ID database 85 for storing names, IDs and the like of cargo consignors, physical distribution trader and the like.

[0053]

20 The second database section 90 is provided with a database 91 for the management of shipping instruction histories, a database 92 for the management of billing histories, a database 93 for the management of the payment histories, and a database 94 for the management of cargo locations.

[0054]

25 As the master file 100, there is a master file 101 related to the physical distribution expenses, and the master file 101 further includes master files 102, 103 for billed physical distribution expenses and the management of the billed physical distribution expenses, and master files 104, 105 for paid physical distribution expenses and the management of the paid physical distribution expenses.

30 [0055]

Besides, there is a master file 106 for the management of cargo storage and delivery, and the master file 106 is made to be a database form. Similarly, a database

107 related to a property insurance, a database 108 for price settlement, and the like are provided.

[0056]

Then, for the accessing of information to the concentrated physical distribution
5 management system 20, a global message clearing service section 110 is provided for performing the transfer of information from the Internet 30 and the intranet 40. The clearing service section 110 is provided with a plurality of communication protocols for automatic selection of the protocols for the received data.

[0057]

10 As the plural communication protocols, there are provided, for example, an EDIFACT (Electronic Data Interchange For Administration, Commerce and Transport) 111, which is an international standard for online commercial transactions, especially for the reception and the sending of orders, settlements, and the like, by the Internet among an EDI (Electronic Data Interchange) for data conversion according to the
15 protocols of received data, a FTP (File Transfer Protocol) 112, an XML (eXtensible Markup Language), which is a page description language to be utilized in place of the EDIFACT, and the like.

[0058]

Consequently, the aforesaid database server 70 also functions as an EDIFACT
20 server for the electronic commercial transactions that are necessary to intercommunicate through the Internet 30 and the intranet 40.

[0059]

The data that are converted into an appropriate protocol are transmitted to the portal
sites inside the system through a message broker 114, a gateway 115, a router 116 and
25 so on.

[0060]

Next, examples of processing sequences of the concentrated physical distribution
management system 20 in the thus configured electronic total physical distribution
management system will be described in due order. It is supposed in the description
30 that the various software executing the following various processing is stored in the database server 70. It is also possible that a database server is provided to every

principal portal to execute the processing separately under consideration of the increase of the cargo consignors.

[0061]

(1) Prior presentation system of cargo transportation schedules. (Departing Vessel
5 Information Provision System)

This system is a system that provides the latest information of a departing vessel schedule table (vessel schedule) as shown in Fig. 4 that is owned by a plurality of physical distribution traders for cargo consignors (shippers).

[0062]

10 For accomplishing the purpose, as shown in Fig. 5, a plurality of previously selected physical distribution traders are registered, and the registration information is stored in the nomination database 84. Then, the latest vessel schedule is supplied from the registered site of the physical distribution trader 60 through the Internet 30. The vessel schedule is transferred through the message clearing service section 110 in conformity
15 with the WEBEDI (EDIFACT) 111, and is received by the vessel schedule portal 75 to be registered in the database 81 for the vessel schedules after that.

[0063]

The transmission of the vessel schedules may automatically be performed at every fixed time, or may automatically be performed at every update of the vessel schedules.
20 The contents of the transferred information are the registered physical distribution traders, the vessel schedules concerning the registered physical distribution traders, and the like. The delivery information is simultaneously transmitted to a plurality of shippers (cargo consignors) constituting the local site 50 through the intranet 40 in the example shown in Fig. 5. By the information supplying system, the shippers can
25 always obtain the latest vessel schedule (including alterations) without inquiring to the individual physical distribution trader.

[0064]

Incidentally, the numbers enclosed by circles shown in Fig. 5 indicate the processing order. The numbers written in each figure to be referred in the following description
30 have the same meaning.

[0065]

Fig. 6 is a flowchart showing an embodiment realizing the previous presentation system of the vessel schedules. In the embodiment, there are performed the registration processing of the nominated physical distribution traders and the processing of making a database of the vessel schedules (storing processing) from the nominated physical distribution traders, especially from shipping companies (steps 120, 121, 122).

[0066]

Next, the existence of the update of the vessel schedules is checked, and when a new vessel schedule is received, the update processing of the database 81 is allowed (steps 123, 124). Then, the transmission processing of the updated new vessel schedules to the local site 50 is automatically performed (step 125). Thereby, the vessel schedules are supplied in advance (step 125). Consequently, these processing is automatically performed at every time of updating the vessel schedules.

[0067]

15 (2) Processing system of shipping instruction information

It is considerable that there are two cases of a shipping instruction input into the concentrated physical distribution management system 20. That is, a case where the shipping instruction is input from the sipper side, i.e. the customer 64 side or the local site 50 side through the Internet 30 or the intranet 40, and a case where the shipping instruction is directly input from the portal side of the concentrated physical distribution management system 20, i.e. terminal unit 35 side.

[0068]

If the case where the shipping instruction is input from the portal site side is examined, the shipping instruction information (six-basic information) is entered from the portal 76 shown in Fig. 7 by the use of the terminal unit 35. Herein, the "six basic information for the shipping instruction" are six pieces of information of "who", "what", "how many", "when", "from which", and "to which ". As long as the basic six information exist, the cargo that is asked can be sent to the destination thereof.

[0069]

30 When the shipping instruction is issued, the storage and delivery information of the cargo is taken out of the database 106 that performs the storage and delivery management of the cargo, and the confirmation of the place (warehouse, sales office

and so forth) where the instructed cargo is located, i.e. the confirmation of the location, is performed. If the instructed cargo is not kept as a stock, an instruction of additional manufacturing or the like is sent to the factory of the manufacturer.

Because the physical distribution expenses for the transportation of the cargo as the
 5 object to the destination can be calculated when the basic six information for the shipping instruction are obtained, the information of the physical distribution expenses for the calculation of the total physical distribution expenses including a physical distribution trader, an insurance trader and the like is taken out of the master file 102 in which the information for the physical distribution expenses is stored to perform the
 10 calculation based on the transportation route. And thereby the physical distribution expenses can be obtained.

[0070]

After the selection of the physical distribution trader and the determination of the transportation route and the like, almost all of the necessary items to be filled in the
 15 bill of lading issued by the shipping company can be prepared. Accordingly, the information of these items is stored in the database 82 as the drafting information of the bill of lading together with the shipping instruction information. After the determination of the shipping instruction, the designated model name of the cargo and the like are stored in the corresponding database 83 as the cargo tracking information.

20 [0071]

In the case where the shipping instruction information is not entered at the portal site side, the fixed shipping instruction information from the local site 50 is received, the received information is then stored in the databases 82 and 83. Fig. 8 illustrates a display screen showing an input example of the shipping instruction information. Fig.
 25 9 illustrates a display example of the cargo location information. Fig. 10 illustrates a display example of the fixed shipping instruction information.

[0072]

Fig. 11 is a flowchart showing an example of the flow of the processing. When the information of the shipping instruction is input (step 131), the confirmation of the
 30 status of the cargo is performed (step 132). If the delivery of the cargo is possible according to the confirmation of the status, a delivery plan is drafted based on the

shipping instruction information, and the physical distribution expenses is calculated in accordance with the transportation route of the cargo (steps 133, 134).

[0073]

The drafting processing of the bill of lading is executed simultaneously with the drafting processing of the delivery plan (step 135). Thus drafted shipping instruction information is stored in the corresponding database, and also is stored in the database for the cargo tracking. Thus the first step of a series of shipping instruction processing ends (step 136).

[0074]

As described above, the reception processing of the cargo is performed by receiving the shipping instruction information such as category of the cargo, the quantity of the cargo and the addressee of the cargo to a shipping instruction consignment of the cargo input through the Internet 30 or the intranet 40 or input on the portal side, and then by confirming the stock information of the cargo, and further by performing the processing such as the deduction of a transportation route of the cargo and the calculation of the physical distribution expenses of the transportation route.

[0075]

Also, it is possible to perform the ordering processing of the cargo by fixing a cargo transportation route and a physical distribution trader that follow the shipping instruction information of the cargo and a transportation schedule shipping instruction of the cargo.

[0076]

(3) Selection of the preferable trader and delivery instruction system

As a second step of the shipping instruction processing, the selection of the physical distribution trader and the instruction of delivery are cited. The preferable physical distribution trader is selected on the basis of the basic six information for the shipping instruction, and the delivery instruction of the cargo is performed. The selection of a trader is performed in conformity of the following route. The route is described by reference to Fig. 12.

[0077]

First, the shipping instruction information is taken out of the database 82 for shipping instructions, and also a vessel schedule is taken out of the database 81 for the vessel schedules. Then, a cargo transportation route is determined.

[0078]

5 Next, the registered physical distribution trader list is taken out of the database 84 for nomination for the selection of the preferable physical distribution trader among the physical distribution traders having a service on the fixed cargo transportation route. Because the cargo transport information of the past is stored in the information of physical distribution traders, a trader, who meets the conditions such as the cheapness
10 of its shipping charge, the shortness of the number of transport days, the lower rate of its accident, and the like, is selected by the reference to the cargo transport history information.

[0079]

The shipping instruction becomes the final one by the determination of the physical
15 distribution trader, and then the shipping instruction information (delivery instruction information) is transmitted to the physical distribution trader 60 through the Internet 30. A formal cargo delivery contract is concluded by the deliver processing. After the shipping instruction is fixed, the fixed shipping instruction information is stored in the
20 database 82 for shipping instruction as the post-processing of the fixing of the shipping instruction. Moreover, the information is also stored in the cargo tracking database 83. At the same time, the calculated expense information of the physical distribution is stored in the master file 105 for the management of the physical distribution expenses.

[0080]

Fig. 13 is an example of a flowchart when the series of processing is executed.

25 Shipping instruction information is read out from the database 82 for shipping instruction, and the vessel schedule is read out from the database 81 for vessel schedule (step 141). A transportation route of the cargo is determined on the basis of these information (step 142). The preferable physical distribution traders (a transport trader, an export trader, a shipping company and the like) are selected among the physical
30 distribution traders having the transportation service at the route (step 143).

[0081]

After the selection of the physical distribution trader, the shipping instruction is in turn transmitted to the physical distribution trader site 60 through the Internet 30. And, the shipping instruction information is stored in the database 82 for shipping instruction and the database 83 for cargo tracking (steps 144, 145, 146). Moreover, in the embodiment, the shipping instruction information is also recorded in the master file 105 for the management of the physical distribution expenses managed for the payment of the physical distribution expenses to the physical distribution traders, and then the series of processing is completed.

[0082]

10 (4) Update of the cargo tracking status and inquiry system

There is a case where the latest tracking status of the cargo instructed to be shipped, namely how is the status of the cargo, is desired to be known. It is desired by the costumer who is to receive the cargo actually and the physical distribution trader himself besides the shipper. The update and inquiry system for the response to such request is equipped on the portal site side.

[0083]

As shown in Fig. 14, the following information as well as the basic information such as the shipping of the cargo, the date and time of carrying into a warehouse, and the date and time of the completion of the shipping and the delivery of the carried cargo is updated as the latest information in order at the cargo tracking database 83.

[0084]

The information is the tracking information concerning which point the cargo having received the delivery instruction passes now, namely in which status the cargo is, the status in which the cargo is kept in a warehouse (in an office), the status in which the cargo is being forward carrying in, the status in which the cargo is collected and packed, the status in which the cargo is packed and transported (the status of being forward loaded and shipped), a cross docked status in which a plural pieces of the cargos are collected together, the status in which the cargo is kept as a stock on the delivery side, or the status in which the cargo is collected and packed to the customer.

30 [0085]

It is needless to say that as for the cargo to be exported the cargo status information such as the cargo is in a procedure of customs clearance for export, or the cargo has

sailed out, or further has arrived in a port, or further is in a procedure of customs clearance for import is fully stored in the cargo tracking database 83.

[0086]

Consequently, the present location of the cargo can be known by the search of the
 5 database 83. Such principal cargo tacking information is stored in the cargo tracking database 83 loaded on the portal site from the physical distribution trader through the Internet 30. The cargo tracking information is always kept updated.

[0087]

Moreover, by the inquiry of the cargo tracking status, the portal site addresses of the
 10 cargo consignors (users), the attribute information of the cargo (such as the name of the cargo, the quantity of the cargo and the discharge location of the cargo), and the like taken out of the database 85 of cargo consignors and physical distribution traders (carriers) can be referred through the portal 77 for tracking inquiry. Besides, the shipping instruction information, the information of the bill of lading, and the like can
 15 also be referred through the database 77 for tracking inquiry.

[0088]

Consequently, the cargo consignors on the local site 50 and the customers 64 can search for the tracking status of the cargo by accessing the portal site 77 for tracking inquiry through the intranet 40 and the Internet 30, respectively. Examples of the
 20 displays of the cargo status are shown in Fig. 15. Moreover, when the minute cargo tracking information that is not in the cargo tracking database 83 is desired to be known, the information can be known by the access to the cargo tracking database 86 on the physical distribution trader side.

It is moreover possible to change the shipping instruction information. For example,
 25 it is possible to change the destination or delivery date and time.

[0089]

Figure 16 is a flowchart showing an example of the processing for tracking inquiry.

At first, the latest cargo tracking information is obtained from the physical distribution trader to store in the database 83 (step 151). Next, it is checked whether
 30 the inquiry of the cargo tracking information is performed or not (step 152). When the inquiry is done, the information such as the ID of the physical distribution trader is taken out of the database 85. Moreover, the shipping instruction information is taken

out of the database 82 (step 153). Then, the latest cargo tracking information is taken out by the reference to the database 83 on the basis of the designated cargo and the ID thereof (step 154). Thereby the latest tracking information of the cargo can be searched for.

5 [0090]

Successively, the concentrated physical distribution management system 20 becomes a status for waiting the accessing from the trader. When the reception status of the cargo tracking is confirmed (step 155), the update processing of the information in the database 83 is executed (step 156), and then the information in the database 83 is
10 exchanged with the latest cargo tracking information. By the execution of such processing, the latest tracking information is always stored in the database 83, and consequently the cargo consignor and the like can clearly recognize the current place where the corresponding cargo exists.

(5) Billing system of physical distribution expenses

15 If the basic six information and the like for the shipping instructions are entered, the transportation route of the cargo is fixed. By the fixing of the transportation route, the costs necessary for the cargo delivery (physical distribution expenses) can be calculated. The physical distribution expenses are kept on the physical distribution expenses management file 105 side shown in Fig. 17.

20 [0091]

For actually billing the physical distribution expenses to the cargo consignor, a manager of the portal site executes the billing by activating the software for billing processing prepared on the portal site side. That is, when this software is activated, a bill is automatically issued by taking out the physical distribution expenses concerning
25 the cargo consignor from the physical distribution expenses management master file 105.

[0092]

When the bill is issued to the cargo consignor, the name of the cargo consignor, the billing date, the contents of billing and the like are stored in the billing history database
30 92 for the storing of the billing as a billing history. Then, the date of the billing is delivered to the specific cargo consignor side in the local site 50 through the intranet

40. By the use of the billing system like this, the bill is automatically issued to be delivered to a specific cargo consignor side.

[0093]

Fig. 18 is a flowchart showing an embodiment of the processing of automatic issue
 5 of a bill. When the processing of issuing a bill is started (step 161), the physical
 distribution expenses to be billed is read out (step 162). The bill of the physical
 distribution expenses is issued to the cargo consignor (step 163). The bill is made in
 conformity with the EDIFACT. The bill of the physical distribution expenses is
 delivered to the cargo consignor side through the intranet 40. Moreover, the contents
 10 of the delivered billing are recorded in the billing history database 92 (steps 164, 165).

[0094]

(6) Physical distribution expenses payment processing system

When the payment of the actual physical distribution expenses is billed by the
 physical distribution trader, the processing shown in Fig. 19 is performed. At first,
 15 when the payment of the physical distribution expense concerning the delivered cargo
 is billed by the physical distribution trader 60 through the Internet 30, the software for
 billing check is started. The billing is collated with the physical distribution expenses
 information concerning the delivered cargo taken out of the physical distribution
 expenses management master file 104. When the results of the collation are agreed,
 20 the drafting processing of the payment instruction information is executed. The
 payment instruction information is stored in the database 92 for storing payment
 histories, and besides an instruction for the urging the payment processing is
 transmitted to the corresponding cargo consignor side among the local site 50 (deliver
 for the payment processing). When a finance management system is provided on the
 25 cargo consignor side, the instruction is accessed by the finance management system
 and processed as an unpaid process.

[0095]

Figure 20 shows an example of the payment processing.

When the payment billing of the physical distribution expenses is received, the
 30 corresponding payment physical distribution expenses are read out from the payment
 physical distribution expenses management master file 105 to collate them (steps 171,
 172, 173). When the result of the collation indicates that the contents of them are

agreed, a payment instruction letter is issued (step 174), and the letter is delivered to the corresponding local site 50 in a form of electronic data through the intranet 40 (step 175). At the step of the completion of the payment instruction, the contents of the payment are recorded in the database 92 for the payment histories, and the payment processing is completed (step 176). When the processing at the step 173 indicates that the contents of them are not agreed, the confirmation processing thereof is performed (step 177), and after the confirmation the processing after the step 174 is performed.

[0096]

(7) Cargo price settlement system

When the arrival of a shipment to the destination of cargo completes, a settlement instruction of the cargo price is issued to the database 108 for price settlement by the use of the information of a bill of lading recorded in the database 82 for shipping instructions as shown in Fig. 21.

[0097]

Herein, the instruction timing of the price settlement is based on the previously fixed settlement timing, which is obtained by the search of the cargo tracking information. The price settlement information is delivered from the price settlement database 108, which received the instruction of the price settlement, to a designated settlement organ (such as a bank) through the Internet 30. When the arrival of the shipment to the destination of the cargo completes, the tracking information concerning the cargo is deleted from the cargo tracking database 83.

[0098]

Fig. 22 is a flowchart showing an example of the price settlement processing. The information indicating the timing of the price settlement is searched for among the tracking information of the cargo by the search of the cargo tracking database 83 (steps 181, 182). The completion of the shipping or the completion of the arrival of the shipment can be searched for by the search of the ETD (Estimated Time of Departure) information or the search of the EDA (Estimated Time of Arrival) information.

[0099]

When the information indicating the corresponding price settlement timing is searched for, the information of the bill of lading is read out next from the database 82 and the settlement instruction is issued (step 184). The settlement letter is transmitted

to the settlement consignee (such as a bank) through the Internet 30 as electronic data, and then the settlement processing ends (step 185).

[0100]

(8) Property insurance processing system

5 Because the delivery of the cargo to an destination has an unknown risk of the damage of the cargo, an insurance for the transport of the cargo (cargo insurance) is taken out from the consideration of the risk. An insurance contract is ordinarily made by an offer of an insurance contract to an insurance agency or an insurance company (property insurance company) and an issuance of a letter of approval (insurance policy)
10 to the offer by the agency after the confirmation of the contents of the offer.

[0101]

When the total concentrated physical distribution management system 20 is configured as mentioned above, an application can automatically be drafted up on the portal site side. This is why the shipping instruction information, the information of
15 the bill of lading, and the like among the information necessary for the taking out of insurance have already been stored in the shipping instruction database 82, and then the insurance can be taken out by the provision of the information such as lists of insurance companies and insurance premium rates on the portal site side besides those pieces of information.

20 [0102]

Next, an overall property insurance processing system that drafts up insurance contract articles, hands over the insurance applications on which the information is recorded to the insurance agencies and the insurance companies, and on the other hand, bills the calculated insurance premiums to the cargo consignors (insurers), and pays the
25 insurance premiums for the insurance companies will be described by reference to Fig. 23.

[0103]

When the software for operating the processing system starts, at first, an offer of insurance is performed to the insurance portal 186, and the estimation processing of
30 insurance is thereby processed. For the estimation, the shipping instruction information, the information of the bill of lading, and the like are taken out from the shipping instruction database 82. At the same time, insurance information is taken out

from a database 187 for the calculation of insurance. Then, the insurance is calculated according to the kind of insurance such as a cargo insurance and a transport insurance in consideration of the limitation amount of indemnity and the like. When the insurance is determined, an insurance trader (insurance agency or property insurance
5 company) is successively determined. The insurance trader is selected among the insurance traders nominated previously and stored in the database 84.

[0104]

After the determination of the insurance trader, next, an insurance premium rate is taken out from the insurance premium rate database 188, and an actual insurance
10 premium to the calculated insurance is calculated. When the insurance trader, the insurance and the insurance premium are respectively determined, these pieces of information are stored in the property insurance database 107, and the insurance offering information is changed in conformity of the EDI to be delivered to the insurance agency or the property insurance company 62 through the Internet 30. After
15 the calculation of the insurance premium, it is possible to draft up detailed documents for an insurance contract, and is to be able to mail them to the insurance company and the like.

[0105]

Besides, in any one of the cases where insurance offers are changed into
20 electronic data and where the offers are written on papers, the same business as that of an ordinary insurance agent can be performed to issue an insurance policy. However, when the insurance business is performed as a business for gaining profits, a qualified person must do that.

[0106]

On the other hand, when the calculation of the insurance premium ends, this time,
25 the insurance premium to be paid and the identification number of the cargo consignor side are stored in an insurance premium billing management database 189 as well as the database 92 for storing billing history information. And then the insurance premium and the like are stored in an insurance premium payment management
30 database 200 and the payment history database 93, respectively.

[0107]

The payment insurance premium and the like stored in the billing management database 188 are delivered to the local site 50 through the intranet 40 for the billing of the insurance premium. The local site 50 transmits a payment instruction of the insurance premium to the portal site side through the intranet 40 similarly. On the portal site side, the payment instruction is collated with the information in the billing management database 189. When the payment instruction agrees with the information in the billing management database 189, the corresponding insurance premium is paid to the insurance agency or the insurance company 62 from the payment management database 200. The confirmation of the payment of the insurance premium (reception confirmation) is also performed through the Internet 30.

[0108]

Successively, an example of the property insurance processing will be described by reference to Fig. 24.

At first, the information of the bill of lading and the information of calculation standard of insurance are read out from the databases 82, 187 (step 191), and the insurance to the cargo is calculated on the basis of those pieces of information (step 192). Successively, nominated insurance traders are read out from the database 84, and the preferable insurance trader that covers the cargo transportation route among them (step 193). After that, the information of the insurance premium rates are read out from the database 188 for the calculation of the insurance premium to the cargo by reference to the insurance premium rates (step 194).

[0109]

After the end of the calculation of the insurance and the insurance premium, the draft (electronic data or documents) of the insurance documents is prepared by the reference to the database 107 (step 195), and the draft information is delivered to the property insurance company (including an insurance agency) 62 through the Internet 30 (step 196). The property insurance company ends the drafting of an insurance policy by writing necessary items such as the number of the policy into the delivered insurance documents to send the insurance policy to the insurance contractor (the cargo consignor or a manager of the portal site who is an agent of the cargo consignor). Besides, electronic information (electronic insurance bond) having the same contents as those of the insurance policy is sent to the insurance contractor.

[0110]

The billing and the payment of the thus made insurance are also performed electronically. That is, the electronic settlement processing is performed. An example of the processing will be described by reference to Fig. 25.

5 [0111]

First, the billing information of the insurance premium is transmitted from the portal site side to the cargo consignor side through the intranet 40 (step 201). Next, the information of the insurance premium payment instruction from the received cargo consignor side is recorded in the billing management database 189 through the intranet 10 40 (step 202). On the portal site side that have received the insurance premium payment instruction, the payment of the insurance premium is performed to the designated insurance trader through the Internet 30, and on the insurance trader side, a receipt is electrically issued (step 203).

[0112]

15 In the case where the portal site side functions as an insurance agency, namely the portal site side is under circumstances that a qualified person can make insurance documents, the draft of the insurance policy has a value as an insurance policy as it is. Accordingly, when the insurance trader has received the insurance premium, agency charges are oppositely transferred to the portal site side from the insurance trader site 20 62 (step 204). When the procedures end, the history of the insurance billing acts is recorded in the database 92, and the history of the payment acts of the insurance is recorded in the database 93 to end the series of the processing (step 205).

[0113]

(9) Insurance compensation claiming processing

25 It is considerable that the damage of the cargo is broken out during the delivery of the cargo. That is, the damage is such that the cargo is damaged or the cargo is scraped owing to an accident. When such damage is broken out, the problem of the payment of damages should be processed, because the insured can use his or her right to indemnity and the insurance trader bears the payment responsibility of the damages.

30 [0114]

What damage cargo received in which transportation route is recorded in the cargo tracking database 83 as shown in Fig. 26. The recorded information, especially only

the damage information, is also recorded to a dedicated database such as a CAR (Cargo Abnormal Report) database 88.

As a damage status information other than the information recorded in the database 88, pictures photographing the scene of the accident and the like can be considerable.

5 These pieces of the damage status information is collected by means of especially the insurance portal among the portal sites.

[0115]

Then, the amount of the insurance indemnity is calculated on the basis of the damage status collected through the insurance portal 73, the damage status obtained
10 from the CAR database 88, the information of the bill of lading, and the contents of the insurance contract from the database 107. The documents for the insurance indemnity (electronic data or paper documents) are drafted on the basis of the amount of the insurance indemnity, and the insurance indemnity information made as electronic data is once recorded in the property insurance database 107, and is delivered to the
15 insurance trader site 62 through the Internet 30. The insurance indemnity documents in the shape of paper documents can also be mailed to the insurance trader. The insurance indemnity business can be deputized. The insurance indemnity information is stored in the insurance indemnity tracking database 89, too, so that insurance traders and customers can inspect it, not to mention the cargo consignor.

20 [0116]

Consequently, the electronic total physical distribution management system 10 is configured so that the insurance trader can directly access to the tracking database 89 through the Internet 30 for confirming the damage status. In the present embodiment, the system is configured so that, when the damage status is confirmed, the insurance
25 trader calculates the amount of the property insurance to pay the insurance directly to the cargo consignor through the Internet 30 and the intranet 40. Incidentally, the cargo consignor or the customer can confirm the damage status by accessing the items of the insurance indemnity tracking search of the insurance portal.

[0117]

30 Fig. 27 is a flowchart showing an example of the insurance indemnity processing. In the processing, the damage status of cargo is obtained (step 211), and the information of the bill of lading and the information of the insurance contract are

respectively obtained (step 212). The amount of the insurance indemnity is calculated on the basis of these pieces of information, and documents (draft) of the insurance indemnity are prepared (step 213). Then, the billing of the insurance indemnity is thereby transmitted to the insurance trader (step 214). When the insurance indemnity is confirmed, the insurance trader pays the insurance indemnity to the insurance contractor, which ends the series of insurance indemnity processing (step 215).

[0118]

(10) Quality grading evaluation of insurance traders and the like, selection standard of the preferable trader, and update processing

To nominate a plurality of physical distribution traders and insurance traders to register them in the database 84 is a requirement for shipping the consigned cargo to the destination safely according to the delivery schedule at a reasonable price and for being capable of engaging for enough indemnity even if the cargo has an accident. As a criterion of a physical distribution trader and an insurance trader for the meeting of the requirement, as to the physical distribution trader, the history information such as whether the cargo was transported as scheduled and arrived safely in a past delivery schedule or not, and so forth are important. Moreover, as for the insurance, past history information such as whether the insurance premium is cheap, and whether the contents of the indemnification are full, and whether the payment of insurance was rapid, and so forth are important.

[0119]

These pieces of information are important criteria at the time of the next updating, and the registration of an unqualified trader is deleted. The update processing is performed under overall judgment on the basis of the information of the past cargo tracking database 83, the property insurance database 107 and the like. The update processing of the trader can be performed either side of the portal site side or the side of the physical distribution management group located in the local site 50. Thereby, an overall physical distribution management system capable of being relied by consignors can be constructed.

[0120]

(11) Bill of lading issuance processing system

When the transport contract is concluded between the consignor and the consignee for transporting the cargo, a B/L (Bill of Lading) that makes the contents of the contract is issued. The bill of lading is issued after the shipping company confirms that the cargo is shipped on the designated ship. On the bill of lading, there are written the

5 name of the shipping company, the number of the B/L, the issued data of the B/L, the name of the forwarding agent (ordinarily, a sea cargo trader), the names and the quantities of the consignor, the consignee and the cargo, and physical distribution basic six information (who, what, how many, when, from which, and to which), and so on.

[0121]

10 The aforesaid information to be filled is an example, and the contents to be filled on the actual bill of lading are various to be not less than 50. Consequently, the issue of the bill of lading is bothersome and troublesome. And costs produced by it are not negligible.

[0122]

15 Recently, some shipping data and some settlement data are exchanged between a manufacturer being a consignor and a trading company or a shipping company in conformity with the EDI (Electronic Data Interchange). However, the bill of lading is not begun to be issued in conformity with the EDI yet. It is because some contents to be filled relates to both of a consignor side and the shipping. Consequently, a shipping

20 company must obtain the information from the consignor side and write the information into the B/L on the shipping company side.

[0123]

Actually, until the ship is loaded with the cargo that has been consigned to a consignee (physical distribution trader) by a consignor, information is exchanged

25 between the consignor and the physical distribution trader several times. Accordingly, if the information owned by each party is fully written on the bill of lading to fill a corresponding item of the bill at every chance of the information exchanges, the bill of lading is completed only by the filling of the number of the bill (B/L number) and the data of the issue of the bill by the shipping company when the ship is loaded with the

30 cargo. Next, an embodiment of the issuance processing system of the bill of lading will be described by reference to Fig. 28.

[0124]

As described above, as commercial transaction systems utilizing the Internet, the EDI, especially the EDIFACT being an international standard concerning the online business such as the reception of an order, the placement of an order, settlement and the like, the XML (eXtensible Markup Language) being a page description language in place of the HTML (Hyper Text Markup Language), and the like are utilized. Accordingly, on the portal site side, the database server 70 is configured to function as the EDIFACT server necessary for electronic commercial transactions as shown in Fig. 2.

[0125]

On the other hand, on the physical distribution trader site 60 side, a portal site to be connected with the Internet 30 is equipped, too, and in the portal site, as described above, the EDIFACT server is also equipped as well as the various servers necessary for the execution of the intercommunication of the information through the Internet 30.

[0126]

In the concentrated physical distribution management system 20, a system for automatically issuing a bill of lading is constructed as well as the system for processing the aforesaid physical distribution management system. The system for automatically issuing the bill of lading will be described by reference to Fig. 28. In the database server 70, although it is not shown, a database for storing the delivery information of the cargo and for updating the information is equipped as well as the databases for storing the booking information of a cargoer (bottom) and the like. And in the first database section 80, as described above, the database 82 for storing the information of a bill of lading is equipped.

[0127]

The system for automatically issuing a bill of lading is equipped with the application software for issuing an invoice to the physical distribution trader site 60 in response to an delivery instruction (delivery order) from the consignor side and for transmitting the invoice to a forwarding trader or a shipping company, and the application software for transmitting the information of an altering (detour) instruction of the transportation route or the like of the consigned cargo to the forwarding company or the shipping company in addition to the application software necessary for issuing a finally

completed bill of lading by utilizing the booking information, the received delivery information from the consignor side and the like.

[0128]

Successively, the details of the issuing processing of a bill of lading will be described. The processing is started by the acceptance of an order of the cargo delivery. Although the order is issued from the local site side in many cases, there is shown a case in which the order is directly input by means of the terminal unit on the portal site side in an example shown in Fig. 28. The shipping instruction information is stored in the database 82.

10 [0129]

In Fig. 28, the latest booking information (vessel schedule) is acquired from the physical distribution trader, and it is examined whether or not there is a shipping company having a service for the transportation route to be consigned in the booking information by reference to the shipping instruction information, the list of physical distribution traders and the like. As the vessel schedule, one stored in the database 81 as the latest information is ordinarily used. Fig. 29 and Fig. 30 show the contents of the vessel schedule.

[0130]

As apparent from Fig. 29 and Fig. 30, there are 53 items necessary for the bill of lading. As the information to be delivered as the vessel schedule, the contents of the item numbers 9, 10 (the numbers of containers) and the contents of the item numbers 16-29 (main fourteen items such as the ship name and the loading port besides the distinction of the services whether by a ship or by a plane) indicated by filled circles in column ① in Fig. 29 are transmitted from the physical distribution trader site 60 as an EDIFACT data.

25 [0131]

When a vessel schedule accorded with the purpose exists, pre-booking is performed to the physical distribution trader site 60. The contents in this case are the same as those of the designated vessel schedule (column ②).

30 [0132]

The physical distribution trader site 60 sends back the booking information with an attached booking number (item number 14 in Fig. 29) to the portal site side (column ③)

except the item number 14). The portal site confirms the booking information (column ④ including item number 14).

[0133]

Successively, on the portal site side, a draft of a bill of lading is drafted by the writing of corresponding information in corresponding items on the basis of the physical distribution basic six information (column ⑤). That is, the detailed physical distribution information such as a shipper, a consignee, a destination including items written in Fig. 30 on the basis of the information of who, what, how many, when, from which place, and to which place.

10 [0134]

The information effective in this case is the shipping instruction information including the physical distribution basic six information. Moreover, by the supplementation of the items necessary for the bill of lading such as the number of the shipping instruction and the place at which the bill of lading was issued in addition to those pieces of information, a draft having all of the items (51 items) to be filled except the number of the bill of lading and the issuance date thereof is finally prepared (column ⑤).

[0135]

The prepared draft is transmitted to the physical distribution trader, and the number of the bill of lading and the issuance date thereof are filled by the physical distribution trader after the cargo is confirmed to complete the final bill of lading (column ⑥). The number of the bill of lading and the bill of lading with the issuance date become effective, and have validity as a formal bill. As described above, almost all pieces of the information concerning the bill of lading are exchanged in processes of the exchange of information between the physical distribution trader and the portal site side, and then the draft of the bill of lading can relatively easily be prepared in real time by the filling of corresponding items in the exchange processes. Incidentally, a part of the information of the bill of lading can be utilized as the tracking information of the cargo, too.

30 [0136]

Incidentally, various pieces of information related to the physical distribution basic six pieces of information (such as the shipping order number of a customer and a

shipping instruction number to a trader) shown in, for example Fig. 31, are also stored in the shipping instruction database 81 as the draft making information of a bill of lading in addition to the aforesaid physical distribution basic six information.

[0137]

5 Moreover, the system for automatically issuing a bill of lading has a function of issuing an invoice of an cargo to a shipping trader or a shipping company when a draft of a bill of lading is delivered to a physical distribution trader and a function of receiving arrival information of the cargo arrived at a physical distribution trader from a foreign country on the portal site side in addition to the function of the issuance
10 processing of a bill of lading. The portal site side enters in the preparation of import procedures on the basis of the information. Furthermore, the system obtains the damage information (CAR information) of the cargo from the latest tacking information of the cargo to store the damage information in the cargo tacking database 82 on the portal site side.

15 [0138]

A concrete instance of the aforesaid automatic issuance processing of a bill of lading will be explained by reference to Fig. 32. In Fig. 32, at first, pre-booking is performed by the acquisition of a vessel schedule (booking information) (steps 221, 222). Actually, a vessel schedule stored in the database 81 is utilized. Next, the processes of
20 the issuance of a booking number by a physical distribution trader and the confirmation of the booking are performed (steps 223, 224). After that, a draft of a bill of lading is made to be delivered to the physical distribution trader (step 225). After that, the physical distribution trader fills the number of the bill of lading and the issuance date thereof, and then a shipping company issues the bill of lading.

25 [0139]

At the same time, an invoice of the cargo is forwarded to the shipping trader and the like. The forwarding of the bill of lading performed by the physical distribution trader site 60 may be in conformity with the EDI, or the bill of lading may be sent by fax or mail in a document form. Corresponding items are processed from respective
30 standpoints in a series of information exchanging processes, and then the issuance processing of the bill of lading ends.

[0140]

Incidentally, although in the aforesaid embodiment, the invention is applied to a case where the information concerning the physical distribution of cargo that is exported to foreign countries from a domestic trader is electronically exchanged, it can easily be understood that the present invention can be applied to a physical distribution management system concerning imported cargo and a physical distribution management system concerning the physical distribution performed between domestic traders.

[0141]

[Effect of the Invention]

10 As described above, a total concentrated management system for a physical distribution is constituted by utilizing a communication network line such as an Internet according to the present invention.

[0142]

15 According to this, a total physical distribution system can be constructed capable of greatly simplifying works of a shipper and a distribution trader, so that the distribution plan for easily sending the cargo to the destination can be prepared and the information of present status of the distributing cargo obtained in real time at the terminal for the shipper and for the cargo trader.

[0143]

20 The ordering process of cargo is completed by checking the stock condition of the cargo and the calculation of the distribution cost, and in addition, in the process of drafting the shipping instruction information of the cargo, the vessel schedule information from the physical distribution trader is obtained in addition to the shipping instruction information. Accordingly, not only the completion of order processing of
25 the cargo, but also the items of most all part of the contents necessary for the bill of lading are obtained by arranging information used upon booking processing such as vessel reservation. Accordingly, when the completion of the shipping instruction information, the draft for the bill of lading is finished by utilizing as a bill of lading information at every time when collecting information of the shipping instruction
30 information and the vessel schedule information.

[0144]

The contents of the draft can be a formal bill of lading having a value of property by adding an insurance number and an issue date of the bill. Accordingly it requires only to access to a portal site that handles a concentrated physical distribution management, and accordingly works of issuing procedure for the insurance policy can be greatly
5 reduced.

[0145]

Further if the insurance companies and the insurance rates are stored in the system, the insurance amount or premium at this moment can be calculated by utilizing the shipping instruction information or information for drafting a bill of lading,
10 accordingly if the contents are made in an insurance application form, the issue of the insurance policy can be possible only by sending the information (electronic information form or a paper). Needless to say, if the concentrated physical distribution manager is a license holder who is allowed to do business of insurance agent, it is able to issue an insurance policy directly from the above described information.

15 [0146]

This insurance information draft processing can also be processed by utilizing the shipping instruction information and further this can be done by only accessing to a portal site that handles a concentrated physical distribution management, and accordingly works such as individual negotiation with trader and resultantly an issuing
20 procedure for the insurance policy can be greatly reduced.

[0147]

Accordingly, a concentrated physical distribution management system or the like of this invention is particularly suitable for a total physical distribution management system which conducts an information communication by accessing a particular site
25 using a communication network line such as an Internet.

[Brief Description of the Drawings]

[Fig. 1]

It is a schematic system diagram showing a part of an embodiment of a concentrated physical distribution management system according to the present invention;

30 [Fig. 2]

It is a block diagram showing an embodiment of the database server in the embodiment shown in Fig. 1;

[Fig. 3]

It is a block diagram showing an embodiment of a concentrated physical distribution management system utilizing the Internet;

[Fig. 4]

5 It is a schedule table showing an example of a vessel schedule;

[Fig. 5]

It is an explanatory diagram showing an example of preliminary provision process of a delivery schedule;

[Fig. 6]

10 It is a flowchart showing an example of preliminary provision process of a vessel schedule;

[Fig. 7]

It is an explanatory diagram showing an example of the input processing of shipping instruction information;

15 [Fig. 8]

It is an explanatory diagram showing an example of a display of the inputting of shipping instruction information;

[Fig. 9]

20 It is an explanatory diagram showing an example of a display of cargo location information;

[Fig. 10]

It is an explanatory diagram showing an example of a display of decided shipping instruction information;

[Fig. 11]

25 It is a flowchart showing an example of shipping instruction processing;

[Fig. 12]

It is an explanatory diagram showing an example of the selection of the preferable trader and the instruction of delivery;

[Fig. 13]

30 It is a flowchart showing an example of shipping instruction processing;

[Fig. 14]

It is an explanatory diagram showing the update and the inquiry of the cargo tracking status;

[Fig. 15]

It is an explanatory diagram showing an example of a display of the cargo status;

5 [Fig. 16]

It is a flowchart showing an example of the processing of the update and the inquiry of cargo tracking information;

[Fig. 17]

It is an explanatory diagram showing billing for physical distribution expenses;

10 [Fig. 18]

It is a flowchart showing an example of the billing processing of physical distribution expenses;

[Fig. 19]

It is an explanatory diagram showing an example of the payment processing of physical distribution expenses;

15

[Fig. 20]

It is a flowchart showing an example of the payment processing of physical distribution expenses;

[Fig. 21]

20 It is an explanatory diagram showing goods price settlement;

[Fig. 22]

It is a flowchart showing an example of price settlement processing;

[Fig. 23]

It is an explanatory diagram about property insurance information;

25 [Fig. 24]

It is a flowchart showing an example of the processing of insurance information;

[Fig. 25]

It is a flowchart showing an example of the processing of the payment of an insurance premium;

30 [Fig. 26]

It is an explanatory diagram showing an example of insurance indemnity;

[Fig. 27]

It is a flowchart showing an example of the processing of insurance indemnity;

[Fig. 28]

It is an explanatory diagram showing an example of the issuance of a bill of lading;

[Fig. 29]

5 It is a table showing a part of the contents of a bill of lading;

[Fig. 30]

It is a table showing the other part of the contents of the bill of lading;

[Fig. 31]

It is a table showing the contents of physical distribution basic six information; and

10 [Fig. 32]

It is a flowchart showing an example of the issuance processing of a bill of lading.

[Explanation of Code]

10 ... total physical distribution management system, 20 ... concentrated
physical distribution management system, 30, 40 ... communication network lines, 50
15 ... local site, 60 ... physical distribution trader site, 62 ... insurance company site, 64
... terminal apparatus, 70 ... database server, 80 ... first database section, 90 ...
second database section, 100 ... master file, 81 ... database for vessel schedule, 82
... database for shipping instruction and an information of bill of lading, 83 ...
database for cargo tracking

20

[Name of Document]

Abstract

[Summary] To be able to execute concentrated management for cargo only by accessing to a portal site.

[Means for solving the Problem]

- 5 There is provided a concentrated physical distribution management system to be used when a consigned cargo is delivered to a destination, wherein the management system is configured to be a site capable of communicating mutually by means of communication network lines 30, 40, the site is provided with a database server 70, the database server including inner processing sections comprises at least: a shipping
- 10 instruction processing section for instructing delivery of the consigned cargo to the destination collectively including a physical distribution trader; a physical distribution expense calculation processing section for calculating physical distribution expenses necessary for delivery of the cargo to the destination; and a cargo tracking processing
- 15 section for indicating a delivery status of the cargo, whereby all of shipping instructions concerning cargo to the physical distribution trader can be transmitted only by accessing to the portal site.

[Selected Drawing]

Fig. 1

English Translation for Drawings

- 【Fig. 1】 10: ELECTRONIC TOTAL PHYSICAL DISTRIBUTION MANAGEMENT SYSTEM
 20: CONCENTRATED PHYSICAL DISTRIBUTION MANAGEMENT SYSTEM
- 5 21: VPN ROUTER
 22: WWW SERVER
 24: MESSAGE DELIVERY SERVER (OUTER USE)
 26: DNS SERVER
 27: TERMINAL APPARATUS
- 10 28: FIRE WALL SERVER
 29: MONITOR
 30: INTERNET
 33: MESSAGE DELIVERY SERVER (INNER USE)
 34: DNS SERVER
- 15 35: TERMINAL APPARATUS
 36: MONITOR
 40: INTRANET
 41: MAIL SERVER
 50: LOCAL SITE(サイト: SITE)
- 20 60: PHYSICAL DISTRIBUTION TRADER (TRADING COMPANY, SHIPPING COMPANY,
 ETC.)
 62: INSURANCE COMPANY
 64: CUSTOMER
-
- 25 【Fig. 2】 : CONFIGURATION OF DATABASE SERVER 70
 バス: BUS
 71: COMPUTER
 80: FIRST DATABASE SECTION
 90: SECOND DATABASE SECTION
- 30 100: MASTER FILE

【Fig. 3】、【Fig. 5】、【Fig. 7】、【Fig. 12】、【Fig. 14】、【Fig. 17】、【Fig. 19】、【Fig. 21】、
【Fig. 23】、【Fig. 26】、【Fig. 28】

Almost all part of explanation are commonly applicable to figures mentioned above.

- 5 【Fig. 3】: TOTAL SYSTEM VIEW
- 64: TRACKING
- 60: VESSEL SCHEDULE TRANSMISSION
- 60: RECEPTION OF SHIPPING INSTRUCTION
- 60: CARGO TRACKING STATUS TRANSMISSION
- 10 60: BILLING OF PHYSICAL DISTRIBUTION EXPENSES
- 20: S-LOG SYSTEM
- 90: GLOBAL SEARCH SERVICE
- 94: LOCATION MANAGEMENT DB
- 91: SHIPPING INSTRUCTION HISTORY DB
- 15 93: PAYMENT HISTORY DB
- 92: BILLING HISTORY DB
- 100: OPTIONAL SERVICE
- 108: PRICE SETTLEMENT DB
- 107: PROPERTY INSURANCE DB
- 20 106: STORAGE AND DELIVERY MANAGEMENT DB
- 102, 103: BILLING PHYSICAL DISTRIBUTION EXPENSES MASTER
- 104, 105: PAYMENT PHYSICAL DISTRIBUTION EXPENSES MASTER
- 80: GLOBAL TRANSACTION SERVICE
- 85: USER/CARRIER ID
- 25 82: SHIPPING INSTRUCTION B/L DB
- 83: CARGO TRACKING DB
- 70: GLOBAL WEB PORTAL SERVICE
- 75: VESSEL SCHEDULE PORTAL
- 76: SHIPPING INSTRUCTION PORTAL
- 30 77: ORDER TRACKING PORTAL
- 78: INVENTORY LOCATION PORTAL
- 79: GLOBAL SEARCH PORTAL

110: GLOBAL MESSAGE CLEARING SERVICE

【Fig. 4】 : EXAMPLE OF VESSEL SCHEDULE CHART

5 【Fig. 5】 : PREVIOUS SUPPLY OF TRANSPORT SCHEDULE

70: GLOBAL WEB PORTAL SERVICE

70: NOMINATION REGISTRATION

70: MAINTENANCE OF VESSEL SCHEDULE

70: RECEPTION OF VESSEL SCHEDULE

10 70: DELIVERY OF VESSEL SCHEDULE

【Fig. 6】 : EXAMPLE OF PROCESS IN PREVIOUS SUPPLY OF TRANSPORTATION VESSEL SCHEDULE

START

15 REGISTRATION PROCESS OF NOMINATED PHYSICAL DISTRIBUTION TRADER : 120

ACQUISITION OF TRANSPORTATION VESSEL SCHEDULE : 121

DATABASE PROCESSING FOR PHYSICAL DISTRIBUTION TRADER AND
TRANSPORTATION VESSEL SCHEDULE : 122

UPDATING TRANSPORTATION VESSEL SCHEDULE ? : 123

20 UPDATE PROCESSING FOR TRANSPORTATION VESSEL SCHEDULE : 124

AUTOMATIC DELIVERY TO LOCAL SITE : 125

【Fig. 7】 : SHIPPING INSTRUCTION INFORMATION INPUTTING

①: 70 : SHIPPING INSTRUCTION INPUTTING

25 ②: 70 : LOCATION CONFIRMATION

③: 70 : REPLY OF PHYSICAL DISTRIBUTION EXPENSES

④: 70 : DECISION PROCESSING

50 : GLOBAL LOGISTICS MANAGEMENT

50 : SHIPPING INSTRUCTION(出荷指示)

30

【Fig. 8】 : EXAMPLE OF SHIPPING INSTRUCTION INFORMATION INPUTTING

SHIPPING INSTRUCTION INPUT INPUT SHIPPING INSTRUCTION INFORMATION

| | | | |
|----|---|----------|--|
| | CUSTOMER P/O | | CUSTOMER CODE |
| | B/G P/O | | |
| | SHIPPING LOCATION | | SHIPPING LOCATION (CONSIGNEE) |
| 5 | SHIPPING LOCATION ADDRESS | | SHIPPING LOCATION ADDRESS |
| | REQUESTED DATE | SET | REQUESTED TIME |
| | OF SHIPPING | | OF SHIPPING |
| | BILLING PHYSICAL DISTRIBUTION EXPENSE | | TIMING OF BILLING PHYSICAL DISTRIBUTION EXPENSE |
| 10 | BILLING ADDRESS OF PHYSICAL DISTRIBUTION EXPENSE | | TRANSPORTATION SERVICE GRADE |
| | ADDITION OF PRODUCT TO BE TRANSPORTED | | |
| | PRODUCT CODE | QUANTITY | |
| | SEARCH OF PRODUCT CODE | | ADDITION |

15

[Fig. 9] : EXAMPLE OF CARGO LOCATION

LOCATION SEARCH FOR LOCATION

25: EUROPE

60 : MID-EAST

20 90 : ASIA

205 : JAPAN

30 : UNITED STATES OF AMERICA

0 : CENTRAL & SOUTH AMERICA

OWNER, PRODUCT CODE, NAME OF PRODUCTS AND PARTS, QUANTITY, LOCATION

25

[Fig. 10] : EXAMPLE OF SHIPPING INSTRUCTION INFORMATION (DECISION)

SHIPPING INSTRUCTION DECISION SHIPPING INSTRUCTION RECEIVED NORMALLY

SHIPPING INSTRUCTION RECEPTION NO. TOTAL AMOUNT OF PHYSICAL

DISTRIBUTION EXPENSES

30 DETAILS OF SHIPPING INSTRUCTION

CUSTOMER P/O

CUSTOMER CODE

B/G P/O

| | | |
|----|---|---|
| | DELIVERY LOCATION | DELIVERY LOCATION (CONSIGNEE) |
| | SHIPPING LOCATION ADDRESS | SHIPPING LOCATION ADDRESS |
| | REQUESTED DATE | REQUESTED TIME |
| 5 | OF SHIPPING | OF SHIPPING |
| | BILLING PHYSICAL DISTRIBUTION EXPENSE | TIMING OF BILLING PHYSICAL DISTRIBUTION EXPENSE AT DISTRIBUTION |
| | BILLING ADDRESS OF PHYSICAL DISTRIBUTION EXPENSE | TRANSPORTATION SERVICE GRADE |
| 10 | TRANSPORT DETAILS | |
| | PRODUCT CODE | NAME OF PRODUCT |
| | | QUANTITY |

RETURN

15

【Fig. 11】 : EXAMPLE OF SHIPPING PROCESSING

(EXAMPLE OF PREPARING B/L DRAFT)

| | |
|----|---|
| | スタート: START |
| | 131: INPUT SHIPPING INSTRUCTION INFORMATION |
| 20 | 132: CONFIRM STATUS OF CARGO |
| | 133: DRAFT TRANSPORT PLAN |
| | 134: CALCULATE PHYSICAL DISTRIBUTION EXPENSES |
| | 135: DRAFT SHIPPING INSTRUCTION AND DRAFT FOR B/L |
| | 136: STORE SHIPPING INSTRUCTION INFORMATION IN SHIPPING INSTRUCTION D/B |
| 25 | エンド: END |

【Fig. 12】 : SELECTION OF MOST SUITABLE TRADER AND INSTRUCTION OF DELIVERY

| | |
|----|---|
| | 80 : GLOVAL TRANSACTION SERVICE |
| | 80 : ①: SELECTION OF PATH |
| 30 | 80 : ②: SELECTION OF TRADER |
| | 80 : ③: INSTRUCTION OF SHIPPING |
| | 80 : ④: POST-PROCESSING OF SHIPPING/CARGO |

70 : GLOBAL WEB PORTAL SERVICE
 75 : VESSEL SCHEDULE PORTAL
 76 : SHIPPING INSTRUCTION PORTAL
 5 77 : ORDER TRACKING PORTAL
 78 : INVENTORY LOCATION PORTAL
 79 : GLOBAL SEARCH PORTAL

【Fig. 13】 : EXAMPLE OF SHIPPING PROCESSING (PART 2)

10 スタート: START
 141: READ OUT SHIPPING INSTRUCTION INFORMATION
 142: DECIDE DELIVERY ROUTE
 143: SELECT PREFERABLE PHYSICAL DISTRIBUTION TRADER
 144: INSTRUCT SHIPPING
 15 145: STORE SHIPPING INSTRUCTION INFORMATION IN SHIPPING INSTRUCTION DB
 136: STORE SHIPPING INSTRUCTION INFORMATION IN CARGO TRACKING DB
 エンド: END

【Fig. 14】 : UPDATE AND INQUIRY OF CARGO TRACKING STATE

20 50 : 3PLS
 VESSEL SCHEDULE TRANSMISSION
 CARGO TRACKING DB
 RECEPTION OF SHIPPING INSTRUCTION
 CARGO TRACKING STATUS TRANSMISSION
 25 PHYSICAL DISTRIBUTION EXPENSE BILLING
 70 : GLOBAL WEB PORTAL SERVICE
 70 : ③: ORDER TRACKING INQUIRY
 70 : ④: ALTERNATION OF SHIPPING INSTRUCTION
 50 : トラッキング: TRACKING

30

【Fig. 15】 : EXAMPLE OF DISPLAY OF CARGO STATUS

CARGO STATUS CARGO STATUS UNDER TRANSPORT IN CHARGE OF MR./MS. _____

貨物: CARGO

出荷? 通関? ETD? 納品: SHIPPING ? CUSTOMS CLEARANCE ? ETD ? DELIVERY OF CARGO

希望納期: REQUESTED DATE OF DELIVERY

5 詳細: DETAILS

出荷指示: SHIPPING INSTRUCTION

輸送中貨物: CARGO UNDER TRANSPORT

貨物内容: CONTENTS OF CARGO

出荷完了: COMPLETION OF SHIPPING

10 通関完了: COMPLETION OF CUSTOMS CLEARANCE

ETD 完了: COMPLETION OF ETD

納品完了: COMPLETION OF DELIVERY OF CARGO

変更: ALTERATION

変更不可: DISAPPROVE OF ALTERATION

15

【Fig. 16】 : EXAMPLE OF PROCESSING OF INQUIRY AND UPDATE OF CARGO TRACKING INFORMATION

スタート: START

151: OBTAIN CARGO TRACKING INFORMATION FROM PHYSICAL DISTRIBUTION

20 TRADER AND STORE THE INFORMATION INTO DB

152: HAS CARGO TRACKING INFORMATION BEEN INQUIRED?

153: READ OUT ID ETC. FROM D/B

154: READ OUT CARGO TRACKING INFORMATION

155: HAS CARGO TACKING INFORMATION BEEN RECEIVED?

25 156: PROCESS UPDATE OF D/B

エンド: END

【Fig. 17】 : PROCESSING OF BILLING

70 : GLOBAL WEB PORTAL SERVICE

30 70 : PROCESSING OF BILLING

【Fig. 18】 : EXAMPLE OF BILLING PROCESSING OF PHYSICAL DISTRIBUTION EXPENSES

161: START PROCESSING OF BILLING
 162: READ OUT PHYSICAL DISTRIBUTION EXPENSES TO BE BILLED
 163: ISSUE BILL BY SOFTWARE PROCESSING
 164: DELIVER BILL TO CARGO CONSIGNOR SIDE THROUGH NET
 5 165: REGISTER BILL IN BILLING HISTORY
 エンド: END

【Fig. 19】 : PAYMENT OF PHYSICAL DISTRIBUTION EXPENSES

80 : GLOBAL TRANSACTION SERVICE
 10 80 :②: BILLING CHECKING
 80 :③: PAYMENT PROCESSING
 50 : GLOBAL LOGISTICS MANAGEMENT
 50 : LOCAL SITE (JAPAN)
 支払い処理指示: INSTRUCTION OF PAYMENT PROCESSING
 15 出荷指示: INSTRUCTION OF SHIPPING

【Fig. 20】 : EXAMPLE OF PAYMENT PROCESSING

スタート: START
 171: HAS PHYSICAL DISTRIBUTION EXPENSES BEEN BILLED?
 20 172: READ OUT PHYSICAL DISTRIBUTION TO BE DISBURSED
 173: DOES RESULT OF INQUIRY ACCORD?
 174: DRAFT LETTER OF PAYMENT INSTRUCTION
 175: INSTRUCT PAYMENT PROCESSING
 176: RECORD CONTENTS OF PAYMENT IN PAYMENT HISTORY DB
 25 エンド: END

【Fig. 21】 : SETTLEMENT OF GOODS PRICE

62 : BUSINESS USERS
 178: SETTLEMENT ORGANIZATION
 30

【Fig. 22】 : EXAMPLE OF PRICE SETTLEMENT PROCESSING

スタート: START

181: SEARCH CARGO TRACKING DATABASE

182: IS IT AT TIMING OF PRICE SETTLEMENT?

184: READ OUT SETTLEMENT INFORMATION SUCH AS INVOICE FROM SHIPPING

INSTRUCTION D/B TO PERFORM INSTRUCTION OF SETTLEMENT

5 185: REMIT SETTLEMENT PRICE (EXCHANGE SETTLEMENT)

エンド: END

【Fig. 23】 : PROPERTY INSURANCE (APPLICATION, CALCULATION OF INSURANCE & PREMIUM, BILLING & PAYMENT)

10 64 : USERS

64 : TRACKING

100 : OPTIONAL SERVICE

107 : PROPERTY INSURANCE DB

187 : CALCULATION BASE DB

15 188: INSURANCE PREMIUM RATE DB

189: BILLING MANAGEMENT DB

200: PAYMENT MANAGEMENT DB

70 : GLOBAL WEB PORTAL SERVICE

①' : INSURANCE ESTIMATION, INSURANCE APPLICATION

20 186: INSURANCE PORTAL

110 : GLOBAL MESSAGE CLEARING SERVICE

⑩ : PAYMENT OF INSURANCE PREMIUM

: RECEPTION OF AGENCY COMMISSION

50 : LOCAL SITE (JAPAN)

25 ⑧ : BILLING OF INSURANCE PREMIUM

⑨ : PAYMENT OF INSURANCE PREMIUM

【Fig. 24】 : EXAMPLE OF INSURANCE INFORMATION

スタート: START

30 191: READ OUT B/L & INSURANCE CALCULATION DATA

192: CALCULATE INSURANCE

193: SELECT OPTIMUM INSURANCE TRADER

194: CALCULATE INSURANCE PREMIUM ON INSURANCE PREMIUM RATE
 195: PREPARE DRAFT OF INSURANCE INFORMATION (POLICY, APPLICATION)
 196: TRANSMIT DRAFT TO INSURANCE TRADER
 エンド: END

5

【Fig. 25】 : EXAMPLE OF INSURANCE PAYMENT PROCESSING

スタート: START

201: BILLING of PAYMENT OF INSURANCE PREMIUM

202: PAY INSURANCE PREMIUM

10 203: CONFIRM RECEPTION

204: RECEIVE AGENCY COMMISSION

205: RECORD HISTORIES OF BILLING AND PAYMENT

エンド: END

15 【Fig. 26】 : PROPERTY INSURANCE (INSURANCE INDEMNITY)

64 : USERS

INSURANCE INDEMNITY TRACKING

100 : OPTIONAL SERVICE

PROPERTY INSURANCE DB : ④ : ADDITION OF INSURANCE CONTRACT INFORMATION

20 ⑤ : DRAFTING DOCUMENTS FOR BEING INDEMNIFIED : ⑥

③ : ADDITION OF B/L INFORMATION

① : ② : COLLECTION OF DAMAGED STATUS

80 : GLOBAL TRANSACTION SERVICE

89 : INSURANCE INDEMNITY TRACKING DB

25 70 : GLOBAL WEB PORTAL SERVICE

SEARCHING FOR INSURANCE INDEMNITY TRACKING

INPUTTING DAMAGED STATUS

73 : INSURANCE PORTAL

110 : ⑩ : PAYMENT OF INSURANCE PREMIUM

30 50 : LOCAL SITE (JAPAN)

INSURANCE INDEMNITY TRACKING

【Fig. 27】 : EXAMPLE OF INSURANCE INDEMNITY PROCESSING

スタート: START

211: INPUT DAMAGE INFORMATION

212: READ OUT INFORMATION OF B/L AND INSURANCE POLICY

5 213: DRAFT DOCUMENTS FOR INSURANCE INDEMNITY

214: DELIVER DOCUMENTS TO INSURANCE TRADER

215: PAY INSURANCE

エンド: END

10 【Fig. 28】 : ISSUANCE OF BILL OF LADING

60 : 3PLS

60 : ISSUANCE OF B/L

60 : ISSUANCE OF INVOICE

60 : BOOKING PROCESSING

15 60 : VESSEL SCHEDULE

60 : BILLING OF PHYSICAL DISTRIBUTION EXPENSES

80 : GLOBAL TRANSACTION SERVICE

80 : ⑥ : PREPARING B/L DRAFT : ⑦

80 : ④ : PRE, ⑤ : BOOKING No.: BOOKING

20

【Fig. 29】 : INFORMATION TRANSITION TABLE IN DRAFTING PROCESS OF B/L

: EXPLANATION OF ITEMS

1: SHIPPING INSTRUCTION No.

3: B/L ISSUANCE DATE

25 4: ATTRIBUTE (CANCEL REVISE)

6: DOOR DELIVERY OR PORT STOP

7: B/L REMARKS

8: CLAUSES IN B/L CONTRACT

9: NUMBER OF CONTAINERS

30 10: (UNIT)

11: CODE OF ISSUANCE PLACE OF B/L

12: ISSUANCE PLACE OF B/L (LOCODE)

| | |
|----|---|
| | 13: ISSUANCE PLACE OF B/L (NAME) |
| | 14: BOOKING NO. |
| | 15: PREPAID OR COLLECT OF SHIPPING CHARGE |
| | 16: FEEDER SHIP / MAIN SHIP |
| 5 | 17: VOYAGE NO. |
| | 19: TRADER CODE |
| | 20: NAME OF AGENCY |
| | 21: SHIP NAME |
| | 22: NAME OF CARGO RECEPTION PLACE |
| 10 | 23: CODE OF LOADING PORT |
| | 24: CODE OF DISCHARGING PORT |
| | 25: CODE OF PLACE OF CARGO DELIVERY |
| | 26: CODE OF CARGO RECEPTION PLACE |
| | 27: NAME OF LOADING PORT |
| 15 | 28: NAME OF DISCHARGING PORT |
| | 29: NAME OF PLACE OF CARGO DELIVERY |
| | 30: CODE OF SHIPPER |
| | 31: CONSIGNEE CODE |
| 20 | [Fig. 30] : INFORMATION TRANSITION TABLE IN DRAFTING PROCESS OF B/L : EXPLANATION OF ITEMS |
| | 32: CODE OF PARTY TO BE NOTICED OF ARRIVALS 1 |
| | 33: NAME AND ADDRESS OF SHIPPER |
| | 34: NAME AND ADDRESS OF CONSIGNEE |
| 25 | 35: NAME AND ADDRESS OF PARTY TO BE NOTICED OF ARRIVALS 1 |
| | 36: INDICATOR WHETHER WAYBILL OR B/L |
| | 37: NUMBER OF ISSUED ORIGINAL B/L |
| | 38: NUMBER OF PACKAGES INCLUDED IN B/L |
| | 39: TYPE OF B/L |
| 30 | 40: CONTENTS |
| | 41: TOTAL (M ³) |
| | 42: TOTAL (Kg) |

- 43: (UNIT)
 44 : TOTAL WEIGHT
 45 : (UNIT)
 46: CASE MARK
 5 47: CONTAINER No.
 48: CONTAINER TYPE
 49 : (UNIT)
 50: TOTAL IN CONTAINER (Kg)
 51 TOTAL IN CONTAINER (M³)
 10 52: NUMBER OF PACKAGES IN CONTAINER
 53: SEAL No. FOR SEALING OF CONTAINER

【Fig. 31】 : DATABASE ITEM TABLE

: DATABASE ITEMS OF SHIPPING INSTRUCTION PHYSICAL DISTRIBUTION BASIC SIX

15 PIECES OF INFORMATION

項目説明: EXPLANATION OF ITEMS

- 1: CUSTOMER P/O No.
 2: BUSINESS GROUP P/O No.
 3 : D/O NO. : WHO
 20 4: SHIPPING INSTRUCTION No. TO TRADER
 6: CODE OF CARGO RECEPTION PLACE : FROM WHERE
 7: REQUESTED DATE AND TIME OF CARGO RECEPTION
 8: CODE OF PLACE OF CARGO DELIVERY :TO WHERE
 9: REQUESTED DATE AND TIME OF DELIVERY
 25 10: PRODUCT CODE (GOODS CODE) : WHAT
 11: QUANTITY : HOW MANY
 12: PAYER OF PHYSICAL DISTRIBUTION EXPENSES
 13: TIMING OF BILLING OF PHYSICAL DISTRIBUTION EXPENSES

30 【Fig. 32】 : EXAMPLE OF PROCESSING OF PREPARING DRAFT FOR B/L

スタート: START

221: OBTAIN VESSEL SCHEDULE

222: PERFORM PRE-BOOKING

223: OBTAIN BOOKING NO.

224: CONFIRM BOOKING

225: PREPARE DRAFT FOR B/L


5 エンド: END

10

【書類名】 図面


【図1】

電子的総合物流管理システム 10




【図2】

データベースサーバ70の構成



【図3】

システム全体図



【図 4】

ベセルスケジュール表の例


Vessel Schedule

(Europe Area Service(99 Dec) >

| TOKYO | | | | | | | | | | | | | | |
|--------------------------|--------------------------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Judge | Customer | Vessel Name | Voy No | Mcc | D/O | Week | Carrier | Broker | CY | ETD | ETA | POL | POD | Dest |
| <input type="checkbox"/> | <input type="checkbox"/> | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| <input type="checkbox"/> | <input type="checkbox"/> | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 12/ 3 | ESPANA | MING DYNASTY | 313W | M | 12/ 3 | Fri | ACS | SAC | 12/10 | 12/11 | 1/14 | YOK | BCN | BCN |
| <input type="checkbox"/> | SOPOR | MING DYNASTY | 313W | M | 12/ 3 | Fri | ACS | SAC | 12/10 | 12/11 | 1/14 | YOK | BCN | BCN |
| <input type="checkbox"/> | ECL (ESP/PORT) | BUNGA RAYA DUA | 10WM50 | <input type="checkbox"/> | 12/ 3 | Fri | 00C | SAC | 12/ 8 | 12/10 | 1/ 5 | YOK | BCN | BCN |
| 12/10 | ESPANA | MING FIDELITY | 313W | M | 12/10 | Fri | ACS | SAC | 12/17 | 12/18 | 1/21 | YOK | BCN | BCN |
| <input type="checkbox"/> | SOPOR | MING FIDELITY | 313W | M | 12/10 | Fri | ACS | SAC | 12/17 | 12/18 | 1/21 | YOK | BCN | BCN |
| <input type="checkbox"/> | ECL (ESP/PORT) | NEDLLOYD AFRICA | 13WM51 | <input type="checkbox"/> | 12/10 | Fri | 00C | SAC | 12/15 | 12/17 | 1/12 | YOK | BCN | BCN |
| 12/16 | ESPANA | HYUNDAI INFINITY | 313W | M | 12/16 | Thu | ACS | SAC | 12/24 | 12/25 | 1/28 | YOK | BCN | BCN |
| <input type="checkbox"/> | SOPOR | HYUNDAI INFINITY | 313W | M | 12/16 | Thu | ACS | SAC | 12/24 | 12/25 | 1/28 | YOK | BCN | BCN |
| <input type="checkbox"/> | ECL (ESP/PORT) | NEDLLOYD EUROPA | 13WM52 | <input type="checkbox"/> | 12/17 | Fri | 00C | SAC | 12/22 | 12/24 | 1/19 | YOK | BCN | BCN |
| <input type="checkbox"/> | <input type="checkbox"/> | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 12/ 3 | ITALIA | MING DYNASTY | 313W | M | 12/ 3 | Fri | ACS | SAC | 12/10 | 12/11 | 1/12 | YOK | GOA | MIL |
| <input type="checkbox"/> | FCL (ITALIA) | MING DYNASTY | 313W | M | 12/ 7 | Tue | APL | SAC | 12/10 | 12/11 | 1/ 5 | YOK | GOA | MIL |
| 12/10 | ITALIA | MING FIDELITY | 313W | M | 12/10 | Fri | ACS | SAC | 12/17 | 12/18 | 1/19 | YOK | GOA | MIL |
| <input type="checkbox"/> | FCL (ITALIA) | MING FIDELITY | 313W | M | 12/14 | Tue | APL | SAC | 12/17 | 12/18 | 1/12 | YOK | GOA | MIL |
| 12/16 | ITALIA | HYUNDAI INFINITY | 313W | M | 12/16 | Thu | ACS | SAC | 12/24 | 12/25 | 1/26 | YOK | GOA | MIL |
| <input type="checkbox"/> | FCL (ITALIA) | HYUNDAI INFINITY | 313W | M | 12/20 | Mon | APL | SAC | 12/24 | 12/25 | 1/19 | YOK | GOA | MIL |
| <input type="checkbox"/> | <input type="checkbox"/> | | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 12/ 1 | SONORD | P&O NEDLLOYD KOWLOON | 08WA50 | M | 12/ 1 | Wed | 00C | SAC | 12/ 8 | 12/10 | 1/17 | TYO | HAM | CPH |
| <input type="checkbox"/> | FCL (SONORD) | P&O NEDLLOYD KOWLOON | 08WA50 | <input type="checkbox"/> | 12/ 3 | Fri | 00C | SAC | 12/ 8 | 12/10 | 1/10 | TYO | HAM | CPH |


【図5】

輸送スケジュールの事前提供




【図6】

輸送ベセルスケジュールの事前提供処理例



【図7】

出荷指示情報の入力



【図 8】

出荷指示情報の入力例

出荷指示入力

出荷指示情報を入力して下さい

| | | |
|-------------|----------------------|---------------|
| 客先 P/O No. | <input type="text"/> | カスタマコード251011 |
| B/G P/O No. | <input type="text"/> | |
| 出庫場所 | <input type="text"/> | 納品場所 (荷受人) |
| 出庫場所住所 | <input type="text"/> | 納品場所住所 |
| 出庫希望日 | <input type="text"/> | 納品希望時刻 |
| 物流費請求先 | <input type="text"/> | 物流費請求タイミング |
| 物流費請求先住所 | <input type="text"/> | 輸送サービスグレード |


輸送する製品の追加

| プロダクトコード | 数量 | 追加 |
|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> |

【図9】

貨物ロケーション情報の例

ロケーション ロケーション検索: ☆☆



| オーナー | プロダクトコード | 製品／部品名 | 数量 | ロケーション |
|------|----------|-------------|----|---------|
| ×× | AR42987 | ☆☆-505 | 10 | HKSN001 |
| △△ | AR42987 | ☆☆-505 | 20 | USSN333 |
| ××× | AR42987 | ☆☆-505 | 30 | EUSN444 |
| □□□ | AR42987 | ☆☆-505 | 10 | JPSN111 |
| ○○○ | AR77777 | ☆☆ MX Tower | 15 | HKSN001 |
| △△△ | AR00011 | ☆☆ C1XE | 20 | HKSN001 |

【図 1 0】


出荷指示情報（確定）の例

| | | | |
|---------------------|------------|-----------------|-----------------|
| 出荷指示確定 | | 出荷指示を正常に受け付けました | |
| 出荷指示受付No. (D/O No.) | | 物流費総額 | |
| 1999912281123 | | ¥10,000 | |
| 出荷指示詳細 | | | |
| 客先 P/O No. | 1234 | カスタマコード 251011 | |
| B/G P/O No. | 1234 | | |
| 出庫場所 | × × | 納品場所 (荷受人) | □ □ |
| 出庫場所住所 | △ △ △ △ | 納品場所住所 | × × × × |
| 出庫希望日 | 1999/12/28 | 納品希望日・時刻 | 199/12/30 10:00 |
| 物流費請求先 | 〇〇〇 | 物流費請求タイミング | 納品時 |
| 物流費請求先住所 | □ □ □ □ | 輸送サービスグレード | T 1 |
| 輸送明細 | | | |
| プロダクトコード | 製品名 | 数量 | |
| AR42967 | ☆ ☆ - 505 | 10 | |

戻る


【図11】

出荷指示処理例 (B／Lドラフト作成例)




【図12】

最適業者選定および配送指示




【図13】

出荷指示処理例（その2）



【図 14】




貨物トラッキング状況更新・照会



【図15】


貨物状況の表示例

貨物状況 ○○様担当の輸送中貨物状況です

| D/O No. | 貨物 | 出荷→通関→ETD→納品 | | | | 希望納期 | 3PL | 詳細 | 出荷指示 |
|--------------|----------|--|------------|------------|------------|------|-----|----|------|
| 輸送中貨物 | | | | | | | | | |
| 199912281123 | 貨物 内容 |  | | | | 希望納期 | △△ | 詳細 | 変更 |
| | | 出荷完了 | 通関完了 | ETD完了 | 納品完了 | | | | |
| | | 1999/12/27 | -- | -- | -- | | | | |
| | | 10:10 | -- | -- | -- | | | | |
| 199912202100 | 貨物 内容 |  | | | | 希望納期 | □□ | 詳細 | 変更 |
| | | 出荷完了 | 通関完了 | ETD完了 | 納品完了 | | | | |
| | | 1999/12/24 | 1999/12/25 | 1999/12/24 | -- | | | | |
| | | 9:00 | 13:00 | 13:00 | -- | | | | |
| 199912201500 | 貨物 内容 |  | | | | 希望納期 | ×× | 詳細 | 変更不可 |
| | | 出荷完了 | 通関完了 | ETD完了 | 納品完了 | | | | |
| | | 1999/11/15 | 1999/12/05 | 1999/12/23 | 1999/12/28 | | | | |
| | | 9:00 | 13:00 | 15:00 | 12:00 | | | | |


【図16】

貨物トラッキング情報の照会、更新処理例




【図17】

物流費請求




【図18】

物流費請求処理の例




【図19】

物流費支払い




【図20】

支払い処理例




【図 2 1】

商品代金決済




【図22】

代金決済処理例




【図 2 3】

損害保険(申込、保険金額・保険料算出、請求支払)




【図24】

保険情報処理例




【図25】

保険料支払い処理例




【図 26】

損害保険（保険求償）




【図27】

保険求償処理例



【図28】

船荷証券発行



【図 2 9】

B / L 作成過程の情報遷移テーブル

| Items | 項目説明 | ① Vessel Schedule | ②④ Booking | ③ Booking Confirmation | ⑤ Draft B/L | ⑥ Confirmed B/L |
|-----------------------------------|--------------------------|-------------------------|---------------|------------------------------|-------------------|-----------------------|
| 1 S/I No. | 出荷指示No | | | | ● | ● |
| 2 B/L No. | B/L No | | | | | ● |
| 3 B/L date | B/L 発行日付 | | | | | ● |
| 4 Function | 属性 (キャンセルバイズ) | | | | ● | ● |
| 5 Fax No. | FAX No | | | | ● | ● |
| 6 Service type | Door Delivery or Port 止め | | | | ● | ● |
| 7 B/L remarks | B/L 備考 | | | | ● | ● |
| 8 B/L clause | B/L 契約書の文言 | | | | ● | ● |
| 9 No. of Containers or Pkgs | コンテナ本数 | ● | ● | ● | ● | ● |
| 10 Unit | (単位) | ● | ● | ● | ● | ● |
| 11 Place of issue | B/L 発行場所コード | | | | ● | ● |
| 12 Place of issue (Locode) | B/L 発行場所 (ロコード) | | | | ● | ● |
| 13 Place of issue (Name Location) | B/L 発行場所名称 | | | | ● | ● |
| 14 Booking No. | 予約No | | (●) | ● | ● | ● |
| 15 Prepaid/Collect | 運賃プリペイド/コレクト | | | | ● | ● |
| 16 Transport stage qualifier | フィーダー船/メイン船 | ● | ● | ● | ● | ● |
| 17 Voyage No. | 便番号 | ● | ● | ● | ● | ● |
| 18 Mode of transport coded | AIR or BOAT | ● | ● | ● | ● | ● |
| 19 Carrier code | 業者コード | ● | ● | ● | ● | ● |
| 20 Agency | 代理店名 | ● | ● | ● | ● | ● |
| 21 Ocean vessel | 船体名称 | ● | ● | ● | ● | ● |
| 22 Place of receipt | 荷物引取り場所名称 | ● | ● | ● | ● | ● |
| 23 POL | 荷積み港コード | ● | ● | ● | ● | ● |
| 24 POD | 荷降ろし港コード | ● | ● | ● | ● | ● |
| 25 Place of delivery | 荷物送り先コード | ● | ● | ● | ● | ● |
| 26 Place of receipt(name) | 荷物引取り場所コード | ● | ● | ● | ● | ● |
| 27 POL (name) | 荷積み港名称 | ● | ● | ● | ● | ● |
| 28 POD (name) | 荷降ろし港名称 | ● | ● | ● | ● | ● |
| 29 Place of delivery(name) | 荷物送り先名称 | ● | ● | ● | ● | ● |
| 30 Shipper code | 出荷依頼者コード | | | | ● | ● |
| 31 Consignee code | 荷物受取人コード | | | | ● | ● |

【図30】

B / L 作成過程の情報遷移テーブル

| Items | 項目説明 | ① Vessel Schedule | ②④ Booking | ③ Booking Confirmation | ⑤ Draft B/L | ⑥ Confirmed B/L |
|-------|-------------------------------------|-------------------------|---------------|------------------------------|-------------------|-----------------------|
| 32 | Norify party code 1 | 着荷通知先コード1 | | | ● | ● |
| 33 | Norify party code 2 | 着荷通知先コード2 | | | ● | ● |
| 34 | Shipper code(name & address) | 出荷依頼者名と住所 | | | ● | ● |
| 35 | Consignee code(name & address) | 荷物受取人名と住所 | | | ● | ● |
| 36 | Norify party code 1(name & address) | 着荷通知先1の名称と住所 | | | ● | ● |
| 37 | Norify party code 2(name & address) | 着荷通知先2の名称と住所 | | | ● | ● |
| 38 | WAYBILL or B/L indicator | WAYBILLかB/Lかの判別子 | | | ● | ● |
| 39 | No. of original B/L | オリジナルB/L発行枚数 | | | ● | ● |
| 40 | B/L Total # of package | B/Lに含まれるパッケージ数 | | | ● | ● |
| 41 | Type | B/Lのタイプ | | | ● | ● |
| 42 | Description of goods | 内容物 | | | ● | ● |
| 43 | Total volume | 合計M ³ | | | ● | ● |
| 44 | Total weight | 合計Kg | | | ● | ● |
| 45 | Unit | (単位) | | | ● | ● |
| 46 | CASE MARK | ケースマーク | | | ● | ● |
| 47 | Container No. | コンテナNo. | | | ● | ● |
| 48 | Container type | コンテナタイプ | | | ● | ● |
| 49 | Unit | (単位) | | | ● | ● |
| 50 | Gross weight/container | コンテナ内合計Kg | | | ● | ● |
| 51 | Gross volume/container | コンテナ内合計M ³ | | | ● | ● |
| 52 | # of package/container | コンテナ内パッケージ数 | | | ● | ● |
| 53 | Seal No. | コンテナ封印シールNo. | | | ● | ● |

【図 3 1】

データベース項目テーブル

| | 出荷指示物流基本 6 情報データベース Items | 項目説明 | e-LOG | |
|----|------------------------------|-----------------|-------|------|
| 1 | Customer P/O No. | 顧客P/O No. | ● | |
| 2 | B/G P/O No. | ビジネスグループP/O No. | ● | |
| 3 | D/O No. | D/O No. | ● | 誰が |
| 4 | S/I No. | 業者への出荷指示No. | ● | |
| 5 | B/L No. | B/L No. | ● | |
| 6 | Place of receipt | 荷物引取り場所コード | ● | どこから |
| 7 | Request Date & Time | 荷物引取り希望日付時刻 | ● | |
| 8 | Place of delivery | 荷物送り先コード | ● | どこへ |
| 9 | Request Date & Time | 納品希望日付時刻 | ● | いつ |
| 10 | Product code | 製品コード (物コード) | ● | 何を |
| 11 | No. of Packages | 数量 | ● | 何台 |
| 12 | Cost payer | 物流費負担人 | ● | |
| 13 | Timing of cost billing | 物流費請求タイミング | ● | |

【図32】

B／L用ドラフト作成処理例

